

山下 智也 (Tomoya Yamashita, MD, PhD.)

昭和 43 (1968) 年 11 月 23 日生 42 歳

神戸大学大学院医学系研究科 内科学講座 循環器内科学分野 助教
(神戸大学医学部附属病院 循環器内科)

連絡先 ; 神戸市中央区楠町 7-5-1

TEL; 078-382-5846 (PHS; 71110) FAX; 078-382-5859

e-mail; tomoya@med.kobe-u.ac.jp

履歴

平成 5 年 3 月	神戸大学医学部医学科 卒業
平成 5 年~8 年	神戸大学附属病院 / 市立加西病院 内科・循環器科研修
平成 8 年~12 年	神戸大学大学院医学系研究科 修了 医学博士
平成 12 年 4 月~同年 11 月	神戸大学医学部附属病院 循環器内科 医員
平成 12 年 12 月~15 年 8 月	神戸大学大学院医学系研究科 医学研究員
平成 15 年 9 月~18 年 3 月	カリフォルニア大学サンディエゴ校(UCSD)医学部 博士研究員
平成 18 年 4 月~6 月	神戸大学大学院医学系研究科 医学研究員
平成 18 年 7 月~22 年 4 月	神戸大学附属病院 循環器内科 特定助教・助教
平成 22 年 4 月~	神戸大学大学院医学研究科 循環器内科学分野 助教

専門

循環器内科学 内科学会内科認定医・指導医 日本循環器学会認定循環器専門医

研究分野

- ・ 動脈硬化性疾患の病態の解明とその予防
- ・ 血管細胞生物学
- ・ 循環器疾患 (虚血性心疾患 / 心筋症) の基礎的研究

研究内容

- ・ 動脈硬化における炎症・免疫反応の役割とそれらをターゲットにした新規治療方法の開発
- ・ 循環器疾患の病態における一酸化窒素(NO)の意義と診断・治療への応用
- ・ 放射光を利用した循環器疾患新規診断方法の開発

Publication List

Nakajima K, Yamashita T, Kita T, Takeda M, Sasaki N, Kasahara K, Shinohara M, Rikitake Y, Ishida T, Yokoyama M, Hirata K. Orally administered eicosapentaenoic acid induces rapid regression of atherosclerosis via modulating the phenotype of dendritic cells in LDL receptor-deficient mice. *Arterioscler Thromb Vasc Biol.* 2011; 31: 1963-1972.

Takeda M, Yamashita T, Shinohara M, Sasaki N, Tawa H, Nakajima K, Momose A, Hirata K. Beneficial effect of anti-platelet therapies on atherosclerotic lesion formation assessed by phase-contrast X-ray CT imaging. *Int J Cardiovasc Imaging.* 2011 in press

Quehenberger O, Yamashita T, Armando AM, Dennis EA, Palinski W. Effect of gestational hypercholesterolemia and maternal immunization on offspring plasma eicosanoids. *Am J Obstet Gynecol.* 2011; 205: 156 e15-e25.

Takeda M, Yamashita T, Sasaki N, Nakajima K, Kita T, Shinohara M, Ishida T, Hirata K. Oral administration of an active vitamin D3 (calcitriol) decreases atherosclerosis in mice via inducing regulatory T cells and immature dendritic cells with tolerogenic function. *Arterioscler Thromb Vasc Biol.* 2010; 30 :2495-2503.

Sasaki N, Yamashita T, Takeda M, Shinohara M, Nakajima K, Tawa H, Usui T, Hirata K. Oral anti-CD3 antibody treatment induces regulatory T cells and inhibits the development of atherosclerosis in mice. *Circulation.* 2009; 120: 1996-2005.

Takeda M, Yamashita T, Shinohara M, Sasaki N, Takaya T, Nakajima K, Inoue N, Masano T, Tawa H, Satomi-Kobayashi S, Toh R, Sugiyama D, Nishimura K, Yokoyama M, Hirata K, Kawashima S. Plasma tetrahydrobiopterin/dihydrobiopterin ratio. –A possible marker of endothelial dysfunction- *Circ J.* 2009; 73: 955-962.

Masano T, Kawashima S, Toh R, Satomi-Kobayashi S, Shinohara M, Takaya T, Sasaki N, Tawa H, Yamashita T, Yokoyama M, Hirata K. Beneficial effects of exogenous tetrahydrobiopterin on left ventricular remodeling after myocardial infarction in rats. *Circ J.* 2008; 72: 1512-1519.

Sasaki N, Yamashita T, Takaya T, Shinohara M, Shiraki R, Takeda M, Emoto N, Fukatsu A, Hayashi T, Ikemoto K, Nomura T, Yokoyama M, Hirata K, Kawashima S. Augmentation of vascular remodeling by uncoupled endothelial nitric oxide synthase in a mouse model of diabetes mellitus. *Arterioscler Thromb Vasc Biol.* 2008; 28: 1068-1076.

Shinohara M, Yamashita T, Tawa H, Takeda M, Sasaki N, Takaya T, Toh R, Takeuchi A, Ohigashi T, Shinohara K, Yokoyama M, Kawashima S, Hirata K, Momose A. Atherosclerotic Plaque Imaging using Phase-contrast X-ray Computed Tomography. *Am J Physiol.* 2008; 294: 1094-1100.

Palinski W, Yamashita T, Freigang S, Napoli C. Development programming: maternal

hypercholesterolemia and immunity influence susceptibility to atherosclerosis. *Nutr Rev.* 2007; 65: S182-187.

Shinohara M, Hirata K, Yamashita T, Takaya T, Sasaki N, Shiraki R, Ueyama T, Emoto N, Inoue N, Yokoyama M, Kawashima S. Local overexpression of Toll-like Receptors at the vessel wall induces formation of atherosclerotic lesion: Synergism of Toll-like Receptor 2 and Toll-like Receptor 4. *Arterioscler Thromb Vasc Biol.* 2007; 27: 2384-2391.

Yamashita T, Kawashima S, Hirase T, Shinohara M, Takaya T, Sasaki N, Takeda M, Tawa H, Inoue N, Hirata K, Yokoyama M. Xenogenic macrophage immunization reduces atherosclerosis in apolipoprotein E knockout mice. *Am J Physiol.* 2007; 293: C865-873.

Matsui A, Okigaki M, Amano K, Adachi Y, Jin D, Takai S, Yamashita T, Kawashima S, Kurihara T, Miyazaki M, Tateishi K, Matsunaga S, Katsume A, Honsho S, Takahashi T, Matoba S, Kusaba T, Tatsumi T, Matsubara H. Central Role of Calcium-Dependent Tyrosine Kinase PYK2 in Endothelial Nitric Oxide Synthase Mediated Angiogenic Response and Vascular Function. *Circulation.* 2007; 116: 1041-1051.

Takaya T, Hirata K, Yamashita T, Shinohara M, Sasaki N, Inoue N, Yada T, Goto M, Fukatsu A, Hayashi T, Alp NJ, Channon KM, Yokoyama M, Kawashima S. A specific role for eNOS-derived reactive oxygen species in atherosclerosis progression. *Arterioscler Thromb Vasc Biol.* 2007; 27: 1632-1637.

Yamashita T, Freigang S, Eberle C, Pattison J, Gupta S, Napoli C, Palinski W. Maternal immunization programs postnatal immune responses and reduces atherosclerosis in offspring. *Circ Res.* 2006; 99: e51-64.

Yoshimura K, Nishimura Y, Nishiuma T, Yamashita T, Kobayashi K, Yokoyama M. Overexpression of nitric oxide synthase by the endothelium attenuates bleomycin-induced lung fibrosis and impairs MMP-9/TIMP-1 balance. *Respirology.* 2006; 11:546-56.

Kobayashi K, Nishimura Y, Yamashita T, Nishiuma T, Satouchi M, Yokoyama M. The effect of overexpression of endothelial nitric oxide synthase on eosinophilic lung inflammation in a murine model. *Int Immunopharm.* 2006; 6:1040-1052.

Takenaka K, Nishimura Y, Nishiuma T, Sakashita A, Yamashita T, Kobayashi K, Satouchi M, Ishida T, Kawashima S, Yokoyama M. Ventilator-induced lung injury in transgenic mice that overexpress endothelial nitric oxide synthase. *Am J Physiol.* 2006; 290:L1078-1086.

Toh R, Shinohara M, Takaya T, Yamashita T, Masuda S, Kawashima S, Yokoyama M, Yagi N. An X-ray Diffraction Study on Mouse Cross-Bridge Function in vivo: Effects of Adrenergic {beta}-stimulation. *Biophys J.* 2006; 90:1723-1728.

Takaya T, Kawashima S, Shinohara M, Yamashita T, Toh R, Sasaki N, Inoue N, Hirata KI, Yokoyama M. Angiotensin II type 1 receptor blocker telmisartan suppresses superoxide production and reduces atherosclerotic lesion formation in apolipoprotein E-deficient mice. *Atherosclerosis*. 2006; 186:402-410.

Shinohara M, Kawashima S, Yamashita T, Takaya T, Toh R, Ishida T, Ueyama T, Inoue N, Hirata K, Yokoyama M. Xenogenic smooth muscle cell immunization reduces neointimal formation in balloon-injured rabbit carotid arteries. *Cardiovasc Res*. 2005; 68:249-258.

Ishida T, Choi SY, Kunda RK, Spin J, Yamashita T, Hirata K, Kojima Y, Yokoyama M, Cooper AD, Quertermous T. Endothelial lipase modulates susceptibility to atherosclerosis in apolipoprotein-E-deficient mice. *J Biol Chem*. 2004; 279:45085-45092.

Namiki M, Kawashima S, Yamashita T, Ozaki M, Sakoda T, Inoue N, Hirata K, Morishita R, Kaneda Y, Yokoyama M. Intramuscular gene transfer of interleukin-10 cDNA reduces atherosclerosis in apolipoprotein E-knockout mice. *Atherosclerosis*. 2004; 172:21-29.

Kawashima S, Yamashita T, Miwa Y, Ozaki M, Namiki M, Hirase T, Inoue N, Hirata K, Yokoyama M. HMG-CoA reductase inhibitor has protective effects against stroke events in stroke-prone spontaneously hypertensive rats. *Stroke*. 2003; 34:157-163.

Ozaki M, Kawashima S, Yamashita T, Hirase T, Ohashi Y, Inoue N, Hirata K, Yokoyama M. Overexpression of endothelial nitric oxide synthase attenuates cardiac hypertrophy induced by chronic isoproterenol infusion. *Circ J*. 2002; 66:851-856.

Rikitake Y, Hirata K, Yamashita T, Iwai K, Kobayashi S, Itoh H, Ozaki M, Ejiri J, Shiomi M, Inoue N, Kawashima S, Yokoyama M. Expression of G2A, a receptor for lysophosphatidylcholine, by macrophages in murine, rabbit, and human atherosclerotic plaques. *Arterioscler Thromb Vasc Biol*. 2002; 22:2049-2053.

Yamashita T, Kawashima S, Miwa Y, Ozaki M, Namiki M, Hirase T, Inoue N, Hirata K, Yokoyama M. A 3-hydroxy-3-methylglutaryl co-enzyme A reductase inhibitor reduces hypertensive nephrosclerosis in stroke-prone spontaneously hypertensive rats. *J Hypertens*. 2002; 20:2465-2473.

Yamashita T, Kawashima S, Ozaki M, Namiki M, Shinohara M, Inoue N, Hirata K, Umetani K, Yokoyama M. In vivo angiographic detection of vascular lesions in apolipoprotein E-knockout mice using a synchrotron radiation microangiography system. *Circ J*. 2002; 66:1057-1059.

Ozaki M, Kawashima S, Yamashita T, Hirase T, Namiki M, Inoue N, Hirata K, Yasui H, Sakurai H, Yoshida Y, Masada M, Yokoyama M. Overexpression of endothelial nitric oxide synthase accelerates atherosclerotic lesion formation in apoE-deficient mice. *J Clin Invest*. 2002; 110:331-340.

Yamashita T, Kawashima S, Ozaki M, Namiki M, Inoue N, Hirata K, Yokoyama M. Propagermanium reduces atherosclerosis in apolipoprotein E knockout mice via inhibition of macrophage infiltration. *Arterioscler Thromb Vasc Biol.* 2002; 22:969-974.

Ozaki M, Kawashima S, Hirase T, Yamashita T, Namiki M, Inoue N, Hirata K, Yokoyama M. Overexpression of endothelial nitric oxide synthase in endothelial cells is protective against ischemia-reperfusion injury in mouse skeletal muscle. *Am J Pathol.* 2002; 160:1335-1344.

Yamashita T, Kawashima S, Ozaki M, Namiki M, Hirase T, Inoue N, Hirata K, Umetani K, Sugimura K, Yokoyama M. Mouse coronary angiograph using synchrotron radiation microangiography. *Circulation.* 2002; 105:e3-e4.

Namiki M, Kawashima S, Yamashita T, Ozaki M, Hirase T, Ishida T, Inoue N, Hirata K, Matsukawa A, Morishita R, Kaneda Y, Yokoyama M. Local overexpression of monocyte chemoattractant protein-1 at vessel wall induces infiltration of macrophages and formation of atherosclerotic lesion. Synergism with hypercholesterolemia. *Arterioscler Thromb Vasc Biol.* 2002; 22:115-120.

Yamashita T, Kawashima S, Ozaki M, Namiki M, Satomi-Kobayashi S, Seno T, Matsuda Y, Inoue N, Hirata K, Akita H, Umetani K, Tanaka E, Mori H, Yokoyama M. Role of endogenous nitric oxide generation in the regulation of vascular tone and reactivity in small vessels as investigated in transgenic mice using synchrotron radiation microangiography. *Nitric Oxide.* 2001; 5:494-503.

Rikitake Y, Kawashima S, Takeshita S, Yamashita T, Azumi H, Yasuhara M, Nishi H, Inoue N, Yokoyama M. Anti-oxidative properties of fluvastatin, an HMG-CoA reductase inhibitor, contribute to prevention of atherosclerosis in cholesterol-fed rabbits. *Atherosclerosis.* 2001; 154:87-96.

Yamashita T, Kawashima S, Ozaki M, Rikitake Y, Hirase T, Inoue N, Hirata K, Yokoyama M. A calcium channel blocker, benidipine, inhibits intimal thickening in the carotid artery of mice by increasing nitric oxide production. *J Hypertens.* 2001; 19:451-458.

Kawashima S, Yamashita T, Ozaki M, Ohashi Y, Azumi H, Inoue N, Hirata K, Hayashi Y, Itoh H, Yokoyama M. Endothelial NO synthase overexpression inhibits lesion formation in mouse model of vascular remodeling. *Arterioscler Thromb Vasc Biol.* 2001; 21:1201-1207.

Ozaki M, Kawashima S, Yamashita T, Ohashi Y, Rikitake Y, Inoue N, Hirata K, Hayashi Y, Yokoyama M. Reduced hypoxic pulmonary vascular remodeling by nitric oxide from the endothelium. *Hypertension.* 2001; 37:322-327.

Ueyama T, Kawashima S, Sakoda T, Rikitake Y, Ishida T, Kawai M, Yamashita T, Ishido S, Hotta H, Yokoyama M. Requirement of activation of the extracellular signal-regulated kinase cascade in myocardial cell hypertrophy. *J Mol Cell Cardiol.* 2000;

32:947-960.

Yamashita T, Kawashima S, Ohashi Y, Ozaki M, Rikitake Y, Inoue N, Hirata K, Akita H, Yokoyama M. Mechanisms of reduced nitric oxide/cGMP-mediated vasorelaxation in transgenic mice overexpressing endothelial nitric oxide synthase. *Hypertension*. 2000; 36:97-102.

Rikitake Y, Kawashima S, Yamashita T, Ueyama T, Ishido S, Hotta H, Hirata K, Yokoyama M. Lysophosphatidylcholine inhibits endothelial cell migration and proliferation via inhibition of the extracellular signal-regulated kinase pathway. *Arterioscler Thromb Vasc Biol*. 2000; 20:1006-1012.

Yamashita T, Kawashima S, Ohashi Y, Ozaki M, Ueyama T, Ishida T, Inoue N, Hirata K, Akita H, Yokoyama M. Resistance to endotoxin shock in transgenic mice overexpressing endothelial nitric oxide synthase. *Circulation*. 2000; 101:931-937.

Ohashi Y, Kawashima S, Hirata K, Yamashita T, Ishida T, Inoue N, Sakoda T, Kurihara H, Yazaki Y, Yokoyama M. Hypotension and reduced nitric oxide-elicited vasorelaxation in transgenic mice overexpressing endothelial nitric oxide synthase. *J Clin Invest*. 1998; 102:2061-2071.

Patent

U.S. Provisional Application, Serial No. 60/751,029, filed December 16, 2005.
PCT international Application, No. PCT/US06/47458

Award

2011 New Investigator Award in Atherosclerosis/Lipoproteins (ATVB, AHA)

競争的資金の獲得状況

科学研究費

平成19年度～20年度 基盤研究 (C) 代表
平成21年度～23年度 基盤研究 (C) 分担

神戸大学内研究支援助成金

平成18年度 生命医科学若手研究者スタートアップ支援助成
平成18年度 教育研究活性化支援経費

財団法人ライフサイエンス振興財団研究助成 (平成18年度)

財団法人ひょうご科学技術協会 奨励研究助成 (平成19年度)

財団法人仁泉会医学研究所 研究助成 (平成19年度)

財団法人医用原子力技術研究振興財団研究助成 (平成19年度)

財団法人福田記念医療技術振興財団個人研究助成 (平成19年度)

財団法人かなえ医薬振興財団研究助成 (平成19年度)

財団法人医科学応用研究財団研究助成 (平成19年度)

財団法人上原記念生命科学財団研究助成（平成19年度）
財団法人先進医薬研究振興財団萌芽研究助成（平成20年度）
社団法人兵庫県医師会医学研究助成（平成20年度）
財団法人武田科学振興財団（平成21年度）
財団法人兵庫県科学技術振興財団（平成21年度）
公益信託循環器学研究振興基金（平成21年度）
財団法人地域医学研究基金（平成21年度）
財団法人不二たん白質研究振興財団（平成22年度）
山田養蜂場みつばち研究助成（平成22年度）
財団法人糧食研究会研究助成（平成23年度）
財団法人三井生命厚生事業団医学研究助成（平成23年度）