

Hashimura Y, Nozu K, Kaito H, Nakanishi K, Fu XJ, Ohtsubo H, Hashimoto F, Oka M, Ninchoji T, Ishimori S, Morisada N, Matsunoshita N, Kamiyoshi N, Yoshikawa N, Iijima K.

Milder clinical aspects of X-linked Alport syndrome in men positive for the collagen IV $\alpha 5$ chain.

Kidney Int. 2013 Dec 4. [Epub ahead of print]

Iijima K, Sako M, Oba MS, Ito S, Hataya H, Tanaka R, Ohwada Y, Kamei K, Ishikura K, Yata N, Nozu K, Honda M, Nakamura H, Nagata M, Ohashi Y, Nakanishi K, Yoshikawa N. : Japanese Study Group of Kidney Disease in Children.

Cyclosporine C2 Monitoring for the Treatment of Frequently Relapsing Nephrotic Syndrome in Children: A Multicenter Randomized Phase II Trial.

Clin J Am Soc Nephrol. 2013 Dec 5. [Epub ahead of print]

Lee T, Takeshima Y, Kusunoki N, Awano H, Yagi M, Matsuo M, Iijima K.

Differences in carrier frequency between mothers of Duchenne and Becker muscular dystrophy patients.

J Hum Genet. 2013 Nov 14. [Epub ahead of print]

Yamamoto N, Nishimura N, Takeuchi M, Ito T, Yokozaki H, Hirase S, Kubokawa I, Mori T, Yanai T, Hayakawa A, Takeshima Y, Nishio H, Matsuo M, Imadome KI, Iijima K.

The emergence of CD20-/CD19- tumor cells after rituximab therapy for Epstein-Barr virus-associated post-transplant lymphoproliferative disorder complicated with hemophagocytic lymphohistiocytosis.

Eur J Pediatr. 2013 Oct 30. [Epub ahead of print]

Awano H, Lee T, Yagi M, Masamune A, Kume K, Takeshima Y, Iijima K.

Childhood-onset hereditary pancreatitis with mutations in the CT gene and SPINK1 gene.

Pediatr Int. 55(5) : 646-9, 2013.

Fujioka K, Morioka I, Honda S, Tsukahara Y, Miwa A, Shibata A, Tanimura K, Yokoyama N, Yamada H, Iijima K.

Severe retinopathy of prematurity with retinal detachment in monozygotic twins.

Pediatr Int. 55(3) : 366-8, 2013.

Hartomo TB, Kozaki A, Hasegawa D, Pham TVH, Yamamoto N, Saitoh A, Ishida T, Kawasaki K, Kosaka Y, Ohashi H, Yamamoto T, Morikawa S, Hirase S, Kubokawa I, Mori T, Yanai T, Hayakawa A, Takeshima Y, Iijima K, Matsuo M, Nishio H, Nishimura N.

Minimal residual disease monitoring in neuroblastoma patients based on the expression of a set of real-time RT-PCR markers in tumor-initiating cells.

Oncol Rep. 29(4) : 1629-36, 2013.

Hashimoto F, Nishiumi S, Miyake O, Takeichi H, Chitose M, Ohtsubo H, Ishimori S, Ninchoji T, Hashimura Y, Kaito H, Morisada N, Morioka I, Fukuoka H, Yoshida M, Iijima K.

Metabolomics analysis of umbilical cord blood clarifies changes in saccharides associated with delivery method.

Early Hum Dev. 89(5) : 315-20, 2013.

Hayakawa A, Hirase S, Matsunoshita N, Yamamoto N, Kubokawa I, Mori T, Yanai T, Maniwa Y, Iijima K.

Primary pediatric endobronchial Ewing sarcoma family of tumors.

Am J Case Rep. 14 : 67-9, 2013.

Hayakawa A, Shimotake N, Kubokawa I, Mitsuda Y, Mori T, Yanai T, Muramaki M, Miyake H, Fujisawa M, Iijima K.

Primary pediatric stage III renal diffuse large B-cell lymphoma.

Am J Case Rep. 14 : 34-7, 2013.

Ishimori S, Kaito H, Matsunoshita N, Ohtsubo H, Hashimoto F, Ninchoji T, Nozu K, Morisada N, Iijima K.

SLC26A3 gene analysis in patients with Bartter and Gitelman syndromes and the clinical characteristics of patients with unidentified mutations.

Kobe J Med Sci. 59(2) : e36-43, 2013.

Kaito H, Ishimori S, Nozu K, Shima Y, Nakanishi K, Yoshikawa N, Iijima K.

Molecular background of urate transporter genes in patients with exercise-induced acute kidney injury.

Am J Nephrol. 38(4) : 316-20, 2013.

Kamei K, Ogura M, Ishimori S, Kaito H, Iijima K, Ito S.

Acute kidney injury after acute gastroenteritis in an infant with hereditary hypouricemia.

Eur J Pediatr. 2013 May 8. [Epub ahead of print]

Kunishima S, Hayakawa A, Fujita K, Saito H.

Transient macrothrombocytopenia associated with maternal-neonatal HPA-21bw incompatibility.
Thromb Res. 131(6) : e286-8, 2013.

Lee T, Takeshima Y, Okizuka Y, Hamahira K, Kusunoki N, Awano H, Yagi M, Sakai N, Matsuo M, Iijima K.

A Japanese child with geleophysic dysplasia caused by a novel mutation of FBN1.
Gene. 512(2) : 456-9, 2013.

Matsuo K, Morioka I, Oda M, Kobayashi Y, Nakamachi Y, Kawano S, Nagasaka M, Koda T, Yokota T, Morikawa S, Miwa A, Shibata A, Minematsu T, Inoue N, Yamada H, Iijima K.

Quantitative evaluation of ventricular dilatation using computed tomography in infants with congenital cytomegalovirus infection.
Brain Dev. 2013 Jan 11. [Epub ahead of print]

Morioka I, Miwa A, Yokota T, Huu CT, Nagasaka M, Koda T, Matsuo K, Morikawa S, Shibata A, Hisamatsu C, Nishio H, Yamada H, Nishijima E, Iijima K.

Severely high serum unbound bilirubin level after abdominal surgery in a newborn.
Pediatr Int. 55(3) : e59-62, 2013.

Morioka I, Takahashi N, Kitajima H.

Prevalence of MRSA-colonized patients in Japanese neonatal care units in 2011.
Pediatr Int. 2013 Oct 15. [Epub ahead of print]

Morioka I, Yahata M, Shibata A, Miwa A, Yokota T, Jikimoto T, Nakamura M, Lee JJ, Yoshida H, Yamada H, Arakawa S, Iijima K.

Impact of pre-emptive contact precautions for outborn neonates on the incidence of healthcare-associated meticillin-resistant Staphylococcus aureus transmission in a Japanese neonatal intensive care unit.

J Hosp Infect. 84(1) : 66-70, 2013.

Nakagawa T, Takeuchi A, Kakiuchi R, Lee T, Yagi M, Awano H, Iijima K, Takeshima Y, Urade Y, Matsuo M.

A prostaglandin D2 metabolite is elevated in the urine of Duchenne muscular dystrophy patients and increases further from 8 years old.
Clin Chim Acta. 423 : 10-4, 2013.

Nakanishi K, Iijima K, Ishikura K, Hataya H, Nakazato H, Sasaki S, Honda M, Yoshikawa N.

Two-year outcome of the ISKDC regimen and frequent-relapsing risk in children with idiopathic nephrotic syndrome.

Clin J Am Soc Nephrol. 8(5) : 756-62, 2013.

Nurputra DK, Lai PS, Harahap NI, Morikawa S, Yamamoto T, Nishimura N, Kubo Y, Takeuchi A, Saito T, Takeshima Y, Tohyama Y, Tay SK, Low PS, Saito K, Nishio H.

Spinal Muscular Atrophy: From Gene Discovery to Clinical Trials.

Ann Hum Genet. 2013 Jul 23. [Epub ahead of print]

Shima Y, Nakanishi K, Hama T, Mukaiyama H, Togawa H, Sako M, Kaito H, Nozu K, Tanaka R, Iijima K, Yoshikawa N.

Spontaneous remission in children with IgA nephropathy.

Pediatr Nephrol. 28(1) : 71-6, 2013.

Taniguchi R, Koyano S, Suzutani T, Goishi K, Ito Y, Morioka I, Oka A, Nakamura H, Yamada H, Igarashi T, Inoue N.

Polymorphisms in TLR-2 are associated with congenital cytomegalovirus (CMV) infection but not with congenital CMV disease.

Int J Infect Dis. 17(12) : e1092-7, 2013.

Togawa H, Nakanishi K, Mukaiyama H, Hama T, Shima Y, Nakano M, Fujita N, Iijima K, Yoshikawa N.

First Japanese case of Pierson syndrome with mutations in LAMB2.

Pediatr Int. 55(2) : 229-31, 2013.

Tran TH, Zhang Z, Yagi M, Lee T, Awano H, Nishida A, Okinaga T, Takeshima Y, Matsuo M.

Molecular characterization of an X(p21.2;q28) chromosomal inversion in a Duchenne muscular dystrophy patient with mental retardation reveals a novel long non-coding gene on Xq28.

J Hum Genet. 58(1) : 33-9, 2013.

Yamamoto T, Tanaka H, Matsumoto K, Lee T, Awano H, Yagi M, Imanishi T, Hayashi N, Takeshima Y, Kawai H, Kawano S, Hirata K.

Utility of transmural myocardial strain profile for prediction of early left ventricular dysfunction in patients with Duchenne muscular dystrophy.

Am J Cardiol. 111(6) : 902-7, 2013.

Yata N, Uemura O, Honda M, Matsuyama T, Ishikura K, Hataya H, Nagai T, Ikezumi Y, Fujita N, Ito S, Iijima K, Saito M, Keneko T, Kitagawa T.

Reference ranges for serum cystatin C measurements in Japanese children by using 4 automated assays.

Clin Exp Nephrol. 17(6) : 872-6, 2013.

Yokota T, Morioka I, Kodera T, Morisawa T, Sato I, Kawano S, Koda T, Matsuo K, Fujioka K, Morikawa S, Miwa A, Shibata A, Yokoyama N, Yonetani M, Yamada H, Nakamura H, Iijima K.

Novel treatment strategy for Japanese newborns with high serum unbound bilirubin.

Pediatr Int. 55(1) : 54-9, 2013.

Togawa H, Nakanishi K, Mukaiyama H, Hama T, Shima Y, Nakano M, Fujita N, Iijima K, Yoshikawa N.

First Japanese Case of Pierson Syndrome with Mutations in Lamb2.

Pediatr Int. 55(2) : 229-31, 2013.

Hayashi M, Tanaka H, Yamamoto T, Lee T, Awano H, Yagi M, Imanishi T, Hayashi N, Takeshima Y, Kawai H, Hirata K, Kawano S.

Rapid progression of neuromuscular disorder related cardiomyopathy in a young patient.

Intern Med. 52(24) : 2771-5, 2013.

Kondo H, Tanda K, Tabata C, Hayashi K, Kihara M, Kizaki Z, Taniguchi-Ikeda M, Mori M, Murayama K, Ohtake A.

Leigh syndrome with Fukuyama congenital muscular dystrophy: A case report.

Brain Dev. 2013 Oct 7. [Epub ahead of print]

Yamada H, Tairaku S, Morioka I, Ebina Y, Sonoyama A, Tanimura K, Deguchi M, Nagamata S.

A nationwide survey of maternal screening for mother-to-child infections in Japan.

Congenit Anom (Kyoto). 2013 Dec 11. [Epub ahead of print]