

Dwianingsih EK, Malueka RG, Nishida A, Itoh K, Lee T, Yagi M, Iijima K, Takeshima Y, Matsuo M.

A novel splicing silencer generated by DMD exon 45 deletion junction could explain upstream exon 44 skipping that modifies dystrophinopathy.

J Hum Genet. 59(8) : 423-9, 2014.

Honda M, Iijima K, Ishikura K, Kaneko K.

The problem of transition from pediatric to adult healthcare in patients with steroid-sensitive nephrotic syndrome (SSNS): a survey of the experts.

Clin Exp Nephrol. 18(6) : 939-43, 2014.

Ikezumi Y, Uemura O, Nagai T, Ishikura K, Ito S, Hataya H, Fujita N, Akioka Y, Kaneko T, Iijima K, Honda M.

Beta-2 microglobulin-based equation for estimating glomerular filtration rates in Japanese children and adolescents.

Clin Exp Nephrol. 2014 Aug 1. [Epub ahead of print]

Ishikura K, Yoshikawa N, Nakazato H, Sasaki S, Nakanishi K, Matsuyama T, Ito S, Hamasaki Y, Yata N, Ando T, Iijima K, Honda M.

Morbidity in children with frequently relapsing nephrosis: 10-year follow-up of a randomized controlled trial.

Pediatr Nephrol. 2014 Oct 3. [Epub ahead of print]

Kamei K, Ogura M, Ishimori S, Kaito H, Iijima K, Ito S.

Acute kidney injury after acute gastroenteritis in an infant with hereditary hypouricemia.

Eur J Pediatr. 173(2) : 247-9, 2014.

Kamei K, Okada M, Sato M, Fujimaru T, Ogura M, Nakayama M, Kaito H, Iijima K, Ito S.

Rituximab treatment combined with methylprednisolone pulse therapy and immunosuppressants for childhood steroid-resistant nephrotic syndrome.

Pediatr Nephrol. 29(7) : 1181-7, 2014.

Lee T, Takeshima Y, Kusunoki N, Awano H, Yagi M, Matsuo M, Iijima K.

Differences in carrier frequency between mothers of Duchenne and Becker muscular dystrophy patients.

J Hum Genet. 59(1) : 46-50, 2014.

Nishita M, Qiao S, Miyamoto M, Okinaka Y, Yamada M, Hashimoto R, Iijima K, Otani H, Hartmann C, Nishinakamura R, Minami Y.

Role of Wnt5a-Ror2 signaling in morphogenesis of the metanephric mesenchyme during ureteric budding.

Mol Cell Biol. 34(16) : 3096-105, 2014.

Nozu K, Vorechovsky I, Kaito H, Fu XJ, Nakanishi K, Hashimura Y, Hashimoto F, Kamei K, Ito S, Kaku Y, Imasawa T, Ushijima K, Shimizu J, Makita Y, Konomoto T, Yoshikawa N, Iijima K.

X-Linked Alport Syndrome Caused by Splicing Mutations in COL4A5.

Clin J Am Soc Nephrol. 9(11) : 1958-64, 2014.

Tamagawa E, Inaba H, Ota T, Ariyasu H, Kawashima H, Wakasaki H, Furuta H, Nishi M, Nakao T, Kaito H, Iijima K, Nakanishi K, Yoshikawa N, Akamizu T.

Barter syndrome type 3 in an elderly complicated with adrenocorticotropin-deficiency.

Endocr J. 61(9) : 855-60, 2014.

Ebina Y, Minematsu T, Sonoyama A, Morioka I, Inoue N, Tairaku S, Nagamata S, Tanimura K, Morizane M, Deguchi M, Yamada H.

The IgG avidity value for the prediction of congenital cytomegalovirus infection in a prospective cohort study.

J Perinat Med. 42(6) : 755-9, 2014.

Morioka I, Takahashi N, Kitajima H.

Prevalence of MRSA colonization in Japanese neonatal care unit patients in 2011.

Pediatr Int. 56(2) : 211-4, 2014.

Tanimura K, Tairaku S, Deguchi M, Sonoyama A, Morizane M, Ebina Y, Morioka I, Yamada H.

Prophylactic intravenous immunoglobulin injections to mothers with primary cytomegalovirus infection.

Kobe J Med Sci. 60(2) : E25-9, 2014.

Uenaka M, Tanimura K, Tairaku S, Morioka I, Ebina Y, Yamada H.

Risk factors for neonatal thyroid dysfunction in pregnancies complicated by Graves' disease.

Eur J Obstet Gynecol Reprod Biol. 177 : 89-93, 2014.

Fujioka K, Shibata A, Yokota T, Koda T, Nagasaka M, Yagi M, Takeshima Y, Yamada H, Iijima K, Morioka I.

Association of a vascular endothelial growth factor polymorphism with the development of bronchopulmonary dysplasia in Japanese premature newborns.

Sci Rep. 4 : 4459, 2014.

Hama T, Nakanishi K, Shima Y, Sato M, Mukaiyama H, Togawa H, Hamahira K, Tanaka R, Kaito H, Nozu K, Iijima K, Yoshikawa N.

Renal biopsy criterion in idiopathic nephrotic syndrome with microscopic hematuria at onset.

Pediatr Nephrol. 2014 Aug 27. [Epub ahead of print]

Iijima K, Sako M, Nozu K, Mori R, Tuchida N, Kamei K, Miura K, Aya K, Nakanishi K, Ohtomo Y, Takahashi S, Tanaka R, Kaito H, Nakamura H, Ishikura K, Ito S, Ohashi Y.

Rituximab for childhood-onset, complicated, frequently relapsing nephrotic syndrome or steroid-dependent nephrotic syndrome: a multicentre, double-blind, randomised, placebo-controlled trial.

Lancet. 384(9950) : 1273-81, 2014.

Kobayashi Y, Morioka I, Koda T, Nakamachi Y, Okazaki Y, Noguchi Y, Ogi M, Chikahira M, Tanimura K, Ebina Y, Funakoshi T, Ohashi M, Iijima K, Inoue N, Kawano S, Yamada H.

Low total IgM values and high cytomegalovirus loads in the blood of newborns with symptomatic congenital cytomegalovirus infection.

J Perinat Med. 2014 Jun 26. [Epub ahead of print]

Koda T, Morioka I, Yokota T, Kurokawa D, Fujita K, Nagasaka M, Matsuo K, Shibata A, Sato I, Kawano S, Yamada H, Nakamura H, Iijima K.

Postnatal serum concentrations of endogenous free fatty acids in newborns admitted to the neonatal intensive care unit: effects on unbound bilirubin.

Ann Clin Biochem. 51(Pt 6) : 680-7, 2014.

Kubokawa I, Yachie A, Hayakawa A, Hirase S, Yamamoto N, Mori T, Yanai T, Takeshima Y, Kyo E, Kageyama G, Nagai H, Uehara K, Kojima M, Iijima K.

The first report of adolescent TAFRO syndrome, a unique clinicopathologic variant of multicentric Castleman's disease.

BMC Pediatr. 14 : 139, 2014.

Matsubara K, Takahashi Y, Hayakawa A, Tanaka F, Nakadate H, Sakai M, Maeda N, Oka T, Ishii E, Bessho F, Morimoto T, Goto H, Hashii Y, Hatakeyama N, Shirahata A, Imaizumi M.

Long-term follow-up of children with refractory immune thrombocytopenia treated with rituximab.

Int J Hematol. 99 : 429, 2014.

Lee T, Yagi M, Kusunoki N, Nagasaka M, Koda T, Matsuo K, Yokota T, Miwa A, Shibata A, Morioka I, Kodama H, Takeshima Y, Iijima K.

Standard values for the urine HVA/VMA ratio in neonates as a screen for Menkes disease.

Brain Dev. 37(1) : 114-9, 2014.

Matsuo K, Morioka I, Oda M, Kobayashi Y, Nakamachi Y, Kawano S, Nagasaka M, Koda T, Yokota T, Morikawa S, Miwa A, Shibata A, Minematsu T, Inoue N, Yamada H, Iijima K.

Quantitative evaluation of ventricular dilatation using computed tomography in infants with congenital cytomegalovirus infection.

Brain Dev. 36(1) : 10-5, 2014.

Morioka I, Matsumoto M, Miwa A, Yokota T, Matsuo K, Koda T, Nagasaka M, Shibata A, Fujita K, Yamane M, Yamada H, Enomoto M, Chikahira M, Iijima K.

Dried umbilical cord is a potential material for retrospective diagnosis of intrauterine enterovirus infection.

J Matern Fetal Neonatal Med. 27(17) : 1820-2, 2014.

Morioka I, Sonoyama A, Tairaku S, Ebina Y, Nagamata S, Morizane M, Tanimura K, Iijima K, Yamada H.

Awareness of and knowledge about mother-to-child infections in Japanese pregnant women.

Congenit Anom (Kyoto). 54(1) : 35-40, 2014.

Nagasaka M, Morioka I, Yokota T, Fujita K, Kurokawa D, Koda T, Shibata A, Yamada H, Ito Y, Uchino E, Shirai C, Iijima K.

Incidence of short stature at 3 years of age in late preterm infants: a population-based study.

Arch Dis Child. 2014 Sep 26. [Epub ahead of print]

Nozu K, Iijima K, Ohtsuka Y, Fu XJ, Kaito H, Nakanishi K, Vorechovsky I.

Alport syndrome caused by a COL4A5 deletion and exonization of an adjacent AluY.

Mol Genet Genomic Med. 2(5) : 451-3, 2014.

Shima Y, Nakanishi K, Hama T, Sato M, Mukaiyama H, Togawa H, Tanaka R, Kaito H, Nozu K, Iijima K, Yoshikawa N.

Biopsy timing and Oxford classification variables in Childhood/Adolescent IgA nephropathy.
Pediatr Nephrol. 2014 Jun 7. [Epub ahead of print]

Yamada H, Tairaku S, Morioka I, Ebina Y, Sonoyama A, Tanimura K, Deguchi M, Nagamata S.

Nationwide survey of maternal screening for mother-to-child infections in Japan.
Congenit Anom (Kyoto). 54(2) : 100-3, 2014.

Yoshikawa N, Nakanishi K, Sako M, Oba MS, Mori R, Ota E, Ishikura K, Hataya H, Honda M, Ito S, Shima Y, Kaito H, Nozu K, Nakamura H, Igarashi T, Ohashi Y, Iijima K.

A multicenter randomized trial indicates initial prednisolone treatment for childhood nephrotic syndrome for two months is not inferior to six-month treatment.
Kidney Int. 2014 Jul 23. [Epub ahead of print]

Hashimura Y, Nozu K, Kaito H, Nakanishi K, Fu XJ, Ohtsubo H, Hashimoto F, Oka M, Ninchoji T, Ishimori S, Morisada N, Matsunoshita N, Kamiyoshi N, Yoshikawa N, Iijima K.

Milder clinical aspects of X-linked Alport syndrome in men positive for the collagen IV alpha5 chain.
Kidney Int. 85(5) : 1208-13, 2014.

Iijima K, Sako M, Oba MS, Ito S, Hataya H, Tanaka R, Ohwada Y, Kamei K, Ishikura K, Yata N, Nozu K, Honda M, Nakamura H, Nagata M, Ohashi Y, Nakanishi K, Yoshikawa N.

Cyclosporine C2 monitoring for the treatment of frequently relapsing nephrotic syndrome in children: a multicenter randomized phase II trial.
Clin J Am Soc Nephrol. 9(2) : 271-8, 2014.

Morisada N, Nozu K, Iijima K.

Branchio-oto-renal syndrome: comprehensive review based on nationwide surveillance in Japan.
Pediatr Int. 56(3) : 309-14, 2014.

Morisada N, Sekine T, Ishimori S, Tsuda M, Adachi M, Nozu K, Nakanishi K, Tanaka R, Iijima K.
16q12 microdeletion syndrome in two Japanese boys.

Pediatr Int. 56(5) : e75-8, 2014.

Oka M, Nozu K, Kaito H, Fu XJ, Nakanishi K, Hashimura Y, Morisada N, Yan K, Matsuo M, Yoshikawa N, Vorechovsky I, Iijima K.

Natural history of genetically proven autosomal recessive Alport syndrome.

Pediatr Nephrol. 29(9) : 1535-44, 2014.

Sasaki M, Ishii A, Saito Y, Morisada N, Iijima K, Takada S, Araki A, Tanabe Y, Arai H, Yamashita S, Ohashi T, Oda Y, Ichiseki H, Hirabayashi S, Yasuhara A, Kawawaki H, Kimura S, Shimono M, Narumiya S, Suzuki M, Yoshida T, Oyazato Y, Tsuneishi S, Ozasa S, Yokochi K, Dejima S, Akiyama T, Kishi N, Kira R, Ikeda T, Oguni H, Zhang B, Tsuji S, Hirose S.

Genotype-phenotype correlations in alternating hemiplegia of childhood.

Neurology. 82(6) : 482-90, 2014.

Toyoshima D, Mandai K, Maruo T, Supriyanto I, Togashi H, Inoue T, Mori M, Takai Y.

Afadin regulates puncta adherentia junction formation and presynaptic differentiation in hippocampal neurons.

PLoS One. 27;9(2) : e89763, 2014.

Morioka I, Iwatani S, Koda T, Nagasaka M, Yamana K, Kurokawa D, Fujita K, Nishida K, Iijima K.

Recent epidemiology of neonatal sepsis in Japan: Did the strategies to control and prevent MRSA transmission lead to a reduction in the incidence of late-onset sepsis?

Research and Reports in Neonatology. 4 : 177-81, 2014.

Yamasaki Y, Miyahara Y, Morita H, Morioka I, Yamada H.

A case of congenital brain teratoma extending into the orbit.

Case Rep Perinat Med. 2014 Sep 6. [Epub ahead of print]

Yamada H, Tairaku S, Morioka I, Sonoyama A, Tanimura K, Deguchi M, Nagamata S, Ebina Y.

A nationwide survey of mother-to-child infections in Japan.

J Infect Chemother. 2014 Nov 11. [Epub ahead of print]

Morioka I, Iwatani S, Koda T, Iijima K, Nakamura H.

Disorder of bilirubin binding to albumin and bilirubin-induced neurological dysfunction.

Semin Fetal Neonatal Med. 2014 Nov 26. [Epub ahead of print]

Hisamatsu C, Morioka I, Matsuo K, Iijima K, Nishijima E.

Intraventricular hemorrhage as a comorbid factor for intestinal obstruction in very low

birth-weight infants.

Pediatr Int. 2014 Dec 2. [Epub ahead of print]

Hayashi R, Bito T, Taniguchi-Ikeda M, Farooq M, Ito M, Shimomura Y.

Japanese case of oculodentodigital dysplasia caused by a mutation in the GJA1 gene.

J Dermatology. 41(12) : 1109-10, 2014.

Fu XJ, Morisada N, Hashimoto F, Taniguchi-Ikeda M, Hashimura Y, Ohtsubo H, Ninchoji T, Kaito H, Nozu K, Takahashi E, Nakanishi K, Kurahashi H, Iijima K.

A patient of Autosomal Recessive Alport syndrome due to Segmental Maternal Isodisomy.

Human Genome Variation. 1 : 14006, 2014.

Mishra D, Kato T, Inagaki H, Kosho T, Wakui K, Kido Y, Sakazume S, Taniguchi-Ikeda M, Morisada N, Iijima K, Fukushima Y, Emanuel BS, Kurahashi H.

Breakpoint analysis of the recurrent constitutional t(8;22)(q24.13;q11.21) translocation.

Molecular Cytogenomics. 7 : 55, 2014.

Qiao C, Wang CH, Zhao C, Lu P, Awano H, Xiao B, Li J, Yuan Z, Dai Y, Martin CB, Li J, Lu Q, Xiao X.

Muscle and Heart function restoration in a limb girdle muscular dystrophy 2I (LGMD2I) mouse model by systemic FKRP gene delivery.

Mol Ther. 22(11) : 1890-9, 2014.

Iijima K, Sako M, Nozu K.

Rituximab Treatment for Nephrotic Syndrome in Children.

Current Pediatrics Reports. 2014 Dec 6. [Epub ahead of print]

Kamei K, Nakanishi K, Ito S, Ishikura K, Hataya H, Honda M, Nozu K, Iijima K, Shima Y, Yoshikawa N; for the Japanese Pediatric IgA Nephropathy Treatment Group.

Risk factors for persistent proteinuria after a 2-year combination therapy for severe childhood IgA nephropathy.

Pediatr Nephrol. 2014 Dec 10. [Epub ahead of print]