

Kamei K, Ogura M, Sato M, Sako M, Iijima K, Ito S.

Risk factors for relapse and long-term outcome in steroid-dependent nephrotic syndrome treated with rituximab.

Pediatr Nephrol 2015 Sep 21. [Epub ahead of print]

Kuma A, Tamura M, Ishimatsu N, Miyamoto T, Serino R, Ishimori S, Morisada N, Iijima K, Yamada S, Takeuchi M, Abe H, Otsuji Y.

A novel UMOD gene mutation associated with uromodulin-associated kidney disease in a young woman with moderate kidney dysfunction.

Intern Med. 54(6) : 631-5, 2015.

Malueka R. G, Dwianingsih E. K, Yagi M, Lee T, Nishida A, Iijima K, Takeshima Y, Matsuo M.

Phosphorothioate modification of chimeric 2'-O-methyl RNA/ethylene-bridged nucleic acid oligonucleotides increases dystrophin exon 45 skipping capability and reduces cytotoxicity.

Kobe J Med Sci. 60(4) : E86-94, 2015.

Thursina C, Ar Rochmah M, Nurputra D. K, Harahap I. S, Harahap N. I, Sa'Adah N, Wibowo S, Sutarni S, Sadewa A. H, Nishimura N, Mandai T, Iijima K, Nishio H, Kitayama S.

Attention Deficit/Hyperactivity Disorder (ADHD): age related change of completion time and error rates of Stroop test.

Kobe J Med Sci. 61(1) : E19-26, 2015.

Goto H, Kaneko T, Shioda Y, Kajiwara M, Sakashita K, Kitoh T, Hayakawa A, Miki M, Kato K, Ogawa A, Hashii Y, Inukai T, Kato C, Sakamaki H, Yabe H, Suzuki R.

Hematopoietic stem cell transplantation for patients with acute lymphoblastic leukemia and Down syndrome.

Pediatr Blood Cancer. 62(1) : 148-52, 2015.

Kato M, Hasegawa D, Koh K, Kato K, Takita J, Inagaki J, Yabe H, Goto H, Adachi S, Hayakawa A, Takeshita Y, Sawada A, Atsuta Y.

Allogeneic haematopoietic stem cell transplantation for infant acute lymphoblastic leukaemia with KMT2A (MLL) rearrangements: a retrospective study from the paediatric acute lymphoblastic leukaemia working group of the Japan Society for Haematopoietic Cell Transplantation.

Br J Haematol. 168(4) : 564-70, 2015.

Kobayashi K, Hayakawa A, Hohashi N.

Interrelations between siblings and parents in families living with children with cancer.

J Fam Nurs. 21(1) : 119-48, 2015.

Tokuno O, Hayakawa A, Yanai T, Mori T, Ohnuma K, Tani A, Minami H, Sugimoto T.

Sterility Testing of Stem Cell Products by Broad-Range Bacterial 16S Ribosomal DNA Polymerase Chain Reaction.

Lab Med. 46(1) : 34-41, 2015.

Hartomo T. B, Van Huyen Pham T, Yamamoto N, Hirase S, Hasegawa D, Kosaka Y, Matsuo M, Hayakawa A, Takeshima Y, Iijima K, Nishio H, Nishimura N.

Involvement of aldehyde dehydrogenase 1A2 in the regulation of cancer stem cell properties in neuroblastoma.

Int J Oncol. 46(3) : 1089-98, 2015.

Hirase S, Hasegawa D, Takahashi H, Moriwaki K, Saito A, Kozaki A, Ishida T, Yanai T, Kawasaki K, Yamamoto N, Kubokawa I, Mori T, Hayakawa A, Nishimura N, Nishio H, Iijima K, Kosaka Y.

Absolute lymphocyte count at the end of induction therapy is a prognostic factor in childhood acute lymphoblastic leukemia.

Int J Hematol. 2015 Oct 6. [Epub ahead of print]

Nishii T, Kono A. K, Akasaka Y, Mori T, Hayakawa A, Iijima K, Sugimura K.

Bone marrow magnetic resonance imaging of the clivus in pediatric leukemia patients and normal controls.

Jpn J Radiol. 33(3) : 146-52, 2015.

Ebina Y, Minematsu T, Morioka I, Deguchi M, Tairaku S, Tanimura K, Sonoyama A, Nagamata S, Morizane M, Yamada H.

Rapid increase in the serum Cytomegalovirus IgG avidity index in women with a congenitally infected fetus.

J Clin Virol. 66 : 44-7, 2015.

Hisamatsu C, Morioka I, Matsuo K, Iijima K, Nishijima E.

Intraventricular hemorrhage as a comorbid factor for intestinal obstruction in very low-birthweight infants.

Pediatr Int. 57(3) : 427-30, 2015.

Morioka I, Nakamura H, Koda T, Yokota T, Okada H, Katayama Y, Kunikata T, Kondo M, Nakamura M, Hosono S, Yasuda S, Yokoyama N, Wada H, Itoh S, Funato M, Yamauchi Y, Lee Y. K, Yonetani M.

Current incidence of clinical kernicterus in preterm infants in Japan.

*Pediatr Int.* 57(3) : 494-7, 2015.

Morioka I, Yamana K, Kurokawa D, Nishida K, Nagasaka M, Fujita K, Fukushima S, Tokuda O, Iwatani S, Koda T.

How long is transient tachypnea of the newborn dependent on oxygen supplementation?

*Pediatr Int.* 57(5) : 1054-5, 2015.

Taniguchi R, Koyano S, Suzutani T, Goishi K, Ito Y, Morioka I, Nakamura H, Yamada H, Oka A, Inoue N.

A Thr72Ala polymorphism in the NKG2D gene is associated with early symptomatic congenital cytomegalovirus disease.

*Infection.* 43(3) : 353-9, 2015.

Tanimura K, Nishikawa A, Tairaku S, Shinozaki N, Deguchi M, Morizane M, Ebina Y, Morioka I, Yamada H.

The IgG avidity value for the prediction of *Toxoplasma gondii* infection in the amniotic fluid.

*J Infect Chemother.* 21(9) : 668-71, 2015.

Katayama Y, Yokota T, Zhao H, Wong R. J, Stevenson D. K, Taniguchi-Ikeda M, Nakamura H, Iijima K, Morioka I.

Association of HMOX1 gene promoter polymorphisms with hyperbilirubinemia in the early neonatal period.

*Pediatr Int.* 57(4) : 645-9, 2015.

Kato T, Mandai T, Iwatani S, Koda T, Nagasaka M, Fujita K, Kurokawa D, Yamana K, Nishida K, Taniguchi-Ikeda M, Tanimura K, Deguchi M, Yamada H, Iijima K, Morioka I.

Extremely preterm infants small for gestational age are at risk for motor impairment at 3years corrected age.

*Brain Dev.* 2015 Aug 8. [Epub ahead of print]

Kobayashi Y, Morioka I, Koda T, Nakamachi Y, Okazaki Y, Noguchi Y, Ogi M, Chikahira M, Tanimura K, Ebina Y, Funakoshi T, Ohashi M, Iijima K, Inoue N, Kawano S, Yamada H.

Low total IgM values and high cytomegalovirus loads in the blood of newborns with symptomatic congenital cytomegalovirus infection.

J Perinat Med. 43(2) : 239-43, 2015.

Kurokawa D, Nakamura H, Yokota T, Iwatani S, Morisawa T, Katayama Y, Sakai H, Ioroi T, Iijima K, Morioka I.

Screening for Hyperbilirubinemia in Japanese Very Low Birthweight Infants Using Transcutaneous Bilirubinometry.

J Pediatr. 2015 Sep 16. [Epub ahead of print]

Fujita K, Nagasaka M, Iwatani S, Koda T, Kurokawa D, Yamana K, Nishida K, Taniguchi-Ikeda M, Uchino E, Shirai C, Iijima K, Morioka I.

Prevalence of small for gestational age (SGA) infants and short children born SGA who qualify for growth hormone treatment at 3 years of age: A population-based study.

Pediatr Int. 2015 Nov 30. [Epub ahead of print]

Lee T, Yagi M, Kusunoki N, Nagasaka M, Koda T, Matsuo K, Yokota T, Miwa A, Shibata A, Morioka I, Kodama H, Takeshima Y, Iijima K.

Standard values for the urine HVA/VMA ratio in neonates as a screen for Menkes disease.

Brain Dev. 37(1) : 114-9, 2015.

Morioka I, Nakamura H, Koda T, Sakai H, Kurokawa D, Yonetani M, Morisawa T, Katayama Y, Wada H, Funato M, Takatera A, Okumura A, Sato I, Kawano S, Iijima K.

Serum unbound bilirubin as a predictor for clinical kernicterus in extremely low birth weight infants at a late age in the neonatal intensive care unit.

Brain Dev. 37(8) : 753-7, 2015.

Morioka I, Iwatani S, Koda T, Iijima K, Nakamura H.

Disorder of bilirubin binding to albumin and bilirubin-induced neurological dysfunction.

Semin Fetal Neonatal Med. 20 (1) : 31-36, 2015.

Nagasaka M, Morioka I, Yokota T, Fujita K, Kurokawa D, Koda T, Shibata A, Yamada H, Ito Y, Uchino E, Shirai C, Iijima K.

Incidence of short stature at 3 years of age in late preterm infants: a population-based study.

Arch Dis Child. 100(3) : 250-4, 2015.

Nakagawa T, Taniguchi-Ikeda M, Murakami Y, Nakamura S, Motooka D, Emoto T, Satake W, Nishiyama M, Toyoshima D, Morisada N, Takada S, Tairaku S, Okamoto N, Morioka I, Kurahashi H, Toda T, Kinoshita T, Iijima K.

A novel PIGN mutation and prenatal diagnosis of inherited glycosylphosphatidylinositol deficiency.

Am J Med Genet A. 2015 Sep 30. [Epub ahead of print]

Nishida K, Morioka I, Nakamachi Y, Kobayashi Y, Imanishi T, Kawano S, Iwatani S, Koda T, Deguchi M, Tanimura K, Yamashita D, Nibu K. I, Funakoshi T, Ohashi M, Inoue N, Iijima K, Yamada H.

Neurological outcomes in symptomatic congenital cytomegalovirus-infected infants after introduction of newborn urine screening and antiviral treatment.

Brain Dev. 2015 Aug 14. [Epub ahead of print]

Nishiyama M, Nagase H, Tanaka T, Fujita K, Maruyama A, Toyoshima D, Nakagawa T, Taniguchi-Ikeda M, Morioka I, Morisada N, Takada S, Iijima K.

Demographics and outcomes of patients with pediatric febrile convulsive status epilepticus.

Pediatr Neurol. 52(5) : 499-503, 2015.

Yamada H, Tairaku S, Morioka I, Sonoyama A, Tanimura K, Deguchi M, Nagamata S, Ebina Y.

Nationwide survey of mother-to-child infections in Japan.

J Infect Chemother. 21(3) : 161-4, 2015.

Fu X. J, Nozu K, Kaito H, Ninchoji T, Morisada N, Nakanishi K, Yoshikawa N, Ohtsubo H, Matsunoshita N, Kamiyoshi N, Matsumura C, Takagi N, Maekawa K, Taniguchi-Ikeda M, Iijima K.

Somatic mosaicism and variant frequency detected by next-generation sequencing in X-linked Alport syndrome.

Eur J Hum Genet. 2015 May 27. [Epub ahead of print]

Hama T, Nakanishi K, Shima Y, Sato M, Mukaiyama H, Togawa H, Hamahira K, Tanaka R, Kaito H, Nozu K, Iijima K, Yoshikawa N.

Renal biopsy criterion in idiopathic nephrotic syndrome with microscopic hematuria at onset.

Pediatr Nephrol. 30(3) : 445-50, 2015.

Higa A, Shima Y, Hama T, Sato M, Mukaiyama H, Togawa H, Tanaka R, Nozu K, Sako M, Iijima K, Nakanishi K, Yoshikawa N.

Long-term outcome of childhood IgA nephropathy with minimal proteinuria.

Pediatr Nephrol. 2015 Aug 4. [Epub ahead of print]

Hisamatsu C, Maeda K, Aida Y, Yasufuku M, Ninchoji T, Kaito H, Nozu K, Iijima K, Nishijima E.

A novel technique of catheter placement with fibrin glue to prevent pericatheter leakage and to enable no break-in period in peritoneal dialysis.

J Pediatr Urol. 2015 Aug 7. [Epub ahead of print]

Iijima K, Sako M, Nozu K, Nakamura H, Ito S.

Rituximab for patients with nephrotic syndrome-authors' reply.

Lancet. 385(9964) : 226-7, 2015.

Kamei K, Nakanishi K, Ito S, Ishikura K, Hataya H, Honda M, Nozu K, Iijima K, Shima Y, Yoshikawa N.

Risk factors for persistent proteinuria after a 2-year combination therapy for severe childhood IgA nephropathy.

Pediatr Nephrol. 30(6) : 961-7, 2015.

Iijima K, Sako M, Nozu K.

Rituximab Treatment for Nephrotic Syndrome in Children.

Curr Pediatr Rep. 3(1) : 71-77, 2015.

Kamiyoshi N, Nozu K, Urahama Y, Matsunoshita N, Yamamura T, Minamikawa S, Ninchoji T, Morisada N, Nakanishi K, Kaito H, Iijima K.

Pathogenesis of hypokalemia in autosomal dominant hypocalcemia type 1.

Clin Exp Nephrol. 2015 Sep 1. [Epub ahead of print]

Kato T, Morisada N, Nagase H, Nishiyama M, Toyoshima D, Nakagawa T, Maruyama A, Fu X. J, Nozu K, Wada H, Takada S, Iijima K.

Somatic mosaicism of a CDKL5 mutation identified by next-generation sequencing.

Brain Dev. 37(9) : 911-5, 2015.

Matsunoshita N, Nozu K, Shono A, Nozu Y, Fu X. J, Morisada N, Kamiyoshi N, Ohtsubo H, Ninchoji T, Minamikawa S, Yamamura T, Nakanishi K, Yoshikawa N, Shima Y, Kaito H, Iijima K.

Differential diagnosis of Bartter syndrome, Gitelman syndrome, and pseudo-Bartter/Gitelman syndrome based on clinical characteristics.

Genet Med. 2015 Apr 16. [Epub ahead of print]

Miyake N, Tsukaguchi H, Koshimizu E, Shono A, Matsunaga S, Shiina M, Mimura Y, Imamura S, Hirose T, Okudela K, Nozu K, Akioka Y, Hattori M, Yoshikawa N, Kitamura A, Cheong H. I, Kagami S, Yamashita M, Fujita A, Miyatake S, Tsurusaki Y, Nakashima M, Saito H, Ohashi K, Imamoto N, Ryo A, Ogata K, Iijima K, Matsumoto N.

Biallelic Mutations in Nuclear Pore Complex Subunit NUP107 Cause Early-Childhood-Onset Steroid-Resistant Nephrotic Syndrome.

Am J Hum Genet. 97(4) : 555-66, 2015.

Shima Y, Nakanishi K, Hama T, Sato M, Mukaiyama H, Togawa H, Tanaka R, Kaito H, Nozu K, Iijima K, Yoshikawa N.

Biopsy timing and Oxford classification variables in childhood/adolescent IgA nephropathy.

Pediatr Nephrol. 30(2) : 293-9, 2015.

Toyoshima D, Morisada N, Takami Y, Kidokoro H, Nishiyama M, Nakagawa T, Ninchoji T, Nozu K, Takeshima Y, Takada S, Nishio H, Iijima K.

Rituximab treatment for relapsed opsoclonus-myoclonus syndrome.

Brain Dev. 2015 Sep 12. [Epub ahead of print]

Yoshikawa N, Nakanishi K, Sako M, Oba M. S, Mori R, Ota E, Ishikura K, Hataya H, Honda M, Ito S, Shima Y, Kaito H, Nozu K, Nakamura H, Igarashi T, Ohashi Y, Iijima K.

A multicenter randomized trial indicates initial prednisolone treatment for childhood nephrotic syndrome for two months is not inferior to six-month treatment.

Kidney Int. 87(1) : 225-32, 2015.

Awano H, Blaeser A, Keramaris E, Xu L, Tucker J, Wu B, Lu P, Lu Q. L.

Restoration of Functional Glycosylation of  $\alpha$ -Dystroglycan in FKRP Mutant Mice Is Associated with Muscle Regeneration.

Am J Pathol. 185(7) : 2025-37, 2015.

Awano H, Blaeser A, Wu B, Lu P, Keramaris-Vrantsis E, Lu Q.

Dystroglycanopathy muscles lacking functional glycosylation of alpha-dystroglycan retain regeneration capacity.

Neuromuscul Disord. 25(6) : 474-84, 2015.

Nishida A, Minegishi M, Takeuchi A, Awano H, Niba E. T, Matsuo M.

Neuronal SH-SY5Y cells use the C-dystrophin promoter coupled with exon 78 skipping and display multiple patterns of alternative splicing including two intronic insertion events.

Hum Genet. 134(9) : 993-1001, 2015.

Nishida A, Minegishi M, Takeuchi A, Niba E. T, Awano H, Lee T, Iijima K, Takeshima Y, Matsuo M.

Tissue- and case-specific retention of intron 40 in mature dystrophin mRNA.

J Hum Genet. 60(6) : 327-33, 2015.

Matsushita K, Kitamura K, Rahmutulla B, Tanaka N, Ishige T, Satoh M, Hoshino T, Miyagi S, Mori T, Itoga S, Shimada H, Tomonaga T, Kito M, Nakajima-Takagi Y, Kubo S, Nakaseko C, Hatano M, Miki T, Matsuo M, Fukuyo M, Kaneda A, Iwama A, Nomura F.

Haploinsufficiency of the c-myc transcriptional repressor FIR, as a dominant negative-alternative splicing model, promoted p53-dependent T-cell acute lymphoblastic leukemia progression by activating Notch1.

Oncotarget. 10 ; 6(7) : 5102-17, 2015.

Kobayashi R, Sunami S, Mitsui T, Nakazawa A, Koga Y, Mori T, Tanaka F, Ueyama JI, Osumi T, Fukano R, Ohki K, Sekimizu M, Mori T; Lymphoma Committee, Japanese Pediatric Leukemia / Lymphoma Study Group.

Treatment of pediatric lymphoma in Japan -The current status and the future plan.

Pediatr Int. 2015 Jun 11. [Epub ahead of print]

Nishiyama M, Tanaka T, Fujita K, Maruyama A, Nagase H.

Targeted temperature management of acute encephalopathy without AST elevation.

Brain Dev. 37(3) : 328-33, 2015.

Yamasaki Y, Miyahara Y, Morita H, Morioka I, Yamada H.

A case of congenital brain teratoma extending into the orbit.

Case Rep Perinat Med. 4(1) : 41-43, 2015.

Tairaku S, Taniguchi-Ikeda M, Okazaki Y, Nozaki Y, Nakamachi Y, Mori T, Hayakawa A, Shibata A, Emoto T, Kurahashi H, Toda T, Kawano S, Yamada H, Morioka I, Iijima K.

Prenatal genetic testing for a familial case with severe congenital Protein C deficiency.

Human Genome Variation. 2 : 15017; doi:10.1038/hgv.2015.17, 2015.



～英文論文 2015 年度～

Taniguchi-Ikeda M, Takeshima Y, Lee T, Nishiyama M, Awano H, Yagi M, Unzaki A, Nozu K, Nishio H, Matsuo M, Kurahashi H, Toda T, Morioka I, Iijima K.

Next generation sequencing discloses a nonsense mutation in the dystrophin gene from long preserved dried umbilical cord and low-level somatic mosaicism in the proband mother.

J. Hum. Genet. doi:10.1038/jhg.2015.157, 2016.

Yamamoto N, Kozaki A, Hartomo T. B, Yanai T, Hasegawa D, Kawasaki K, Kosaka Y, Matsuo M, Hirase S, Mori T, Hayakawa A, Iijima K, Nishio H, Nishimura N.

Differential expression of minimal residual disease markers in peripheral blood and bone marrow samples from high-risk neuroblastoma patients.

Oncol Lett. 10(5) : 3228-3232, 2015.