

Kanda S, Morisada N, Kaneko N, Yabuuchi T, Nawashiro Y, Tada N, Nishiyama K, Miyai T, Sugawara N, Ishizuka K, Chikamoto H, Akioka Y, Iijima K, Hattori M.

New-onset diabetes after renal transplantation in a patient with a novel HNF1B mutation.

Pediatr Transplant. 20(3):467-471,2016

Kamei K, Ogura M, Sato M, Sako M, Iijima K, Ito S.

Risk factors for relapse and long-term outcome in steroid-dependent nephrotic syndrome treated with rituximab.

Pediatr Nephrol. 31(1):89-95,2016

Noguchi Y, Onishi A, Nakamachi Y, Hayashi N, Harahap NI, Rochmah MA, Shima A, Yanagisawa S, Morisada N, Nakagawa T, Iijima K, Kasagi S, Saegusa J, Kawano S, Shinohara M, Tairaku S, Saito T, Kubo Y, Saito K, Nishio H.

Telomeric Region of the Spinal Muscular Atrophy Locus Is Susceptible to Structural Variations.

Pediatr Neurol. 58:83-9,2016

Iwafuchi Y, Morioka T, Morita T, Yanagihara T, Oyama Y, Morisada N, Iijima K, Narita I.

Diverse Renal Phenotypes Observed in a Single Family with a Genetic Mutation in Paired Box Protein 2.

Case Rep Nephrol Dial. 6(1):61-9,2016

Iijima T, Hoshino J, Mise K, Sumida K, Suwabe T, Hayami N, Ueno T, Takaichi K, Fujii T, Ohashi K, Morisada N, Iijima K, Ubara Y.

Daughter and Mother with Orofaciodigital Syndrome Type 1 and Glomerulocystic Kidney Disease.

Hum Pathol. 2016 Apr 27. [Epub ahead of print]

Tagami M, Honda S, Morioka I, Iijima K, Yamada H, Nakamura M.

An unusual case of congenital cytomegalovirus infection-related retinopathy.

BMC Ophthalmol. 16(1):81,2016

Hashimura Y, Morioka I, Hisamatsu C, Yokoyama N, Taniguchi-Ikeda M, Yokozaki H, Murayama K, Ohtake A, Itoh K, Takeshima Y, Iijima K.

Mitochondrial respiratory chain complex IV deficiency complicated with chronic intestinal pseudo-obstruction in a neonate.

Pediatr Int. 58(7):651-655,2016

Yagi M, Lee T, Kusunoki N, Nagasaka M, Koda T, Matsuo K, Yokota T, Miwa A, Shibata A, Morioka I, Kodama H, Takeshima Y, Iijima K.

Reply to the letter: "Neonatal screening for Menkes disease using urine HVA/VMA ratio".

Brain Dev. 38(8):752,2016

Taniguchi-Ikeda M, Takeshima Y, Lee T, Nishiyama M, Awano H, Yagi M, Unzaki A, Nozu K, Nishio H, Matsuo M, Kurahashi H, Toda T, Morioka I, Iijima K.

Next-generation sequencing discloses a nonsense mutation in the dystrophin gene from long preserved dried umbilical cord and low-level somatic mosaicism in the proband mother.

J Hum Genet. 61(4):351-5,2016

Nakagawa T, Taniguchi-Ikeda M, Murakami Y, Nakamura S, Motooka D, Emoto T, Satake W, Nishiyama M, Toyoshima D, Morisada N, Takada S, Tairaku S, Okamoto N, Morioka I, Kurahashi H, Toda T, Kinoshita T, Iijima K.

A novel PIGN mutation and prenatal diagnosis of inherited glycosylphosphatidylinositol deficiency.

Am J Med Genet A. 170(1):183-8,2016

Taniguchi-Ikeda M, Morioka I, Iijima K, Toda T.

Mechanistic aspects of the formation of α -dystroglycan and therapeutic research for the treatment of α -dystroglycanopathy: A review.

Mol Aspects Med. 51 : 115-24,2016.

Matsunoshita N, Nozu K, Shono A, Nozu Y, Fu XJ, Morisada N, Kamiyoshi N, Ohtsubo H, Ninchoji T, Minamikawa S, Yamamura T, Nakanishi K, Yoshikawa N, Shima Y, Kaito H, Iijima K.

Differential diagnosis of Bartter syndrome, Gitelman syndrome, and pseudo-Bartter/Gitelman syndrome based on clinical characteristics.

Genet Med. 18(2):180-8,2016

Kamiyoshi N, Nozu K, Fu XJ, Morisada N, Nozu Y, Ye MJ, Imafuku A, Miura K, Yamamura T, Minamikawa S, Shono A, Ninchoji T, Morioka I, Nakanishi K, Yoshikawa N, Kaito H, Iijima K.

Genetic, Clinical, and Pathologic Backgrounds of Patients with Autosomal Dominant Alport Syndrome.

Clin J Am Soc Nephrol. 11(8):1441-9,2016

Kamiyoshi N, Nozu K, Urahama Y, Matsunoshita N, Yamamura T, Minamikawa S, Ninchoji T, Morisada N, Nakanishi K, Kaito H, Iijima K.

Pathogenesis of hypokalemia in autosomal dominant hypocalcemia type 1.

Clin Exp Nephrol. 20(2):253-7,2016

Ohtsubo H, Okada T, Nozu K, Takaoka Y, Shono A, Asanuma K, Zhang L, Nakanishi K, Taniguchi-Ikeda M, Kaito H, Iijima K, Nakamura SI.

Identification of mutations in FN1 leading to glomerulopathy with fibronectin deposits.

Pediatr Nephrol. 2016 Apr 7. [Epub ahead of print]

Nishida M, Hashimoto F, Kaito H, Nozu K, Iijima K, Asada D, Hamaoka K.

Combined Alport syndrome and Klinefelter syndrome.

Pediatr Int. 58(2):152-5,2016

Yamaguchi H, Ishida T, Yokoi T, Tanaka T, Maruyama A, Nagase H, Hasegawa D, Imadome K, Takeda H, Kosaka Y, Uetani Y.

Clinically Mild Encephalities/Encephalopathy With a Reversible Splenic Lesion Accompanied by Epstein-Barr Virus Hemophagocytic Lymphohistiocytosis A case Report and Review of the Literature

J Pediatr Hemotol Oncol 2016 Nov22 [Epub a head of print]

Mori T, Tanaka R, Nishida K, Yamamoto N, Hayakawa A, Nishimura N, Nozu K, Iijima K.

Transient hyperphosphatasemia in three pediatric patients treated with

cyclosporine.

Pediatr Int. 58(5):429-30,2016

Nishida A, Oda A, Takeuchi A, Lee T, Awano H, Hashimoto N, Takeshima Y, Matsuo M.
Staurosporine allows dystrophin expression by skipping of nonsense-encoding
exon.

Brain Dev. 38(8):738-45,2016

Nishida A, Yasuno S, Takeuchi A, Awano H, Lee T, Niba ET, Fujimoto T, Itoh
K, Takeshima Y, Nishio H, Matsuo M

HEK293 cells express dystrophin Dp71 with nucleus-specific localization of
Dp71ab.

Histochem Cell Biol. 146(3):301-9,2016

Ninchoji T, Iwatani S, Nishiyama M, Kamiyoshi N, Nakagawa T, Taniguchi-Ikeda M,
Morisada N, Ishibashi K, Iijima K, Ishida A, Morioka I.

Clinical factors associated with prehospital exacerbation of anaphylaxis in children.

Minerva Pediatr. 2016 Jun 8. [Epub ahead of print]

Ninchoji T, Iwatani S, Nishiyama M, Kamiyoshi N, Taniguchi-Ikeda M, Morisada N,
Ishibashi K, Iijima K, Ishida A, Morioka I.

Current Situation of Treatment for Anaphylaxis in a Japanese Pediatric Emergency
Center.

Pediatr Emerg Care. 2016 Apr 13. [Epub ahead of print]

Fujioka K, Kalish F, Zhao H, Lu S, Wong S, Wong RJ, Stevenson DK.

Induction of Heme Oxygenase-1 Attenuates the Severity of Sepsis in A
Non-Surgical Preterm Mouse Model.

Shock. 2016 Jul 21. [Epub ahead of print]

Fujioka K, Kalish F, Wong RJ, Stevenson DK.

Inhibition of heme oxygenase activity using a microparticle formulation of zinc
protoporphyrin in an acute hemolytic newborn mouse model.

Pediatr Res. 2;79(2):251-7.

Kurokawa D, Nakamura H, Yokota T, Iwatani S, Morisawa T, Katayama Y, Sakai H,

Ioroi T, Iijima K, Morioka I.

Screening for Hyperbilirubinemia in Japanese Very Low Birthweight Infants Using Transcutaneous Bilirubinometry.

J Pediatr. 168:77-81,2016

Nishida K, Morioka I, Nakamachi Y, Kobayashi Y, Imanishi T, Kawano S, Iwatani S, Koda T, Deguchi M, Tanimura K, Yamashita D, Nibu K, Funakoshi T, Ohashi M, Inoue N, Iijima K, Yamada H.

Neurological outcomes in symptomatic congenital cytomegalovirus-infected infants after introduction of newborn urine screening and antiviral treatment.

Brain Dev. 38(2):209-16,2016

Fujita K, Nagasaka M, Iwatani S, Koda T, Kurokawa D, Yamana K, Nishida K, Taniguchi-Ikeda M, Uchino E, Shirai C, Iijima K, Morioka I.

Prevalence of small for gestational age (SGA) and short stature in children born SGA who qualify for growth hormone treatment at 3 years of age: Population-based study.

Pediatr Int. 58(5):372-6,2016

Maeyama K, Morioka I, Iwatani S, Fukushima S, Kurokawa D, Yamana K, Nishida K, Ohyama S, Fujioka K, Awano H, Taniguchi-Ikeda M, Nozu K, Nagase H, Nishimura N, Shirai C, Iijima K

Gestational age-dependency of height and body mass index trajectories during the first 3 years in Japanese small-for-gestational age children

Sci Rep 6, 38659, 2016

Iwatani S, Nakamura H, Kurokawa D, Yamana K, Nishida K, Fukushima S, Koda T, Nishimura N, Nishio H, Iijima K, Miyawaki A, Morioka I.

Fluorescent protein-based detection of unconjugated bilirubin in newborn serum.

Sci Rep. 6:28489,2016

Sameshima T, Iwatani S, Fukushima S, Taniguchi-Ikeda M, Hashimoto M, Yurugi K, Iijima K, Morioka I.

Periomphalitis with delayed umbilical cord separation due to alloimmune neonatal neutropenia.

Clin Lab,62(11):2249-52,2016

Fukuzumi N, Osawa K, Sato I, Iwatani S, Ishino R, Hayashi N, Iijima K, Saegusa J, Morioka I.

Age-specific percentile-based reference curve of serum procalcitonin concentrations in Japanese preterm infants.

Sci Rep.:6:23871,2016

Nagasaka M, Kikuma T, Iwatani S, Kurokawa D, Yamana K, Maeyama K, Koda T, Matsumoto H, Taniguchi-Ikeda M, Iijima K, Nakamura H, Morioka I.

Transcutaneous bilirubin monitoring predicts unexplained late-onset hemolysis in a very low birthweight infant.

BMC Res Notes;9(1):153,2016

Nishiyama M, Nagase H, Tanaka T, Fujita K, Kusumoto M, Kajihara S, Yamaguchi Y, Maruyama A, Takeda H, Uetani Y, Tomioka K, Toyoshima D, Taniguchi-Ikeda M, Morioka I, Takada S, Iijima K.

Short and long-term outcomes in children with suspected acute encephalopathy.

Brain Dev. 38(8):731-7,2016

Toyoshima D, Morisada N, Takami Y, Kidokoro H, Nishiyama M, Nakagawa T, Ninchoji T, Nozu K, Takeshima Y, Takada S, Nishio H, Iijima K.

Rituximab treatment for relapsed opsoclonus-myoclonus syndrome.

Brain Dev. 38(3):346-9,2016

Yamamura T, Morisada N, Nozu K, Minamikawa S, Ishimori S, Toyoshima D, Ninchoji T, Yasui M, Taniguchi-Ikeda M, Morioka I, Nakanishi K, Nishio H, Iijima K.

Rare renal ciliopathies in non-consanguineous families that were identified by targeted resequencing.

Clin Exp Nephrol. 2016 Mar 11. [Epub ahead of print]

Ishikura K, Uemura O, Hamasaki Y, Nakai H, Ito S, Harada R, Hattori M, Ohashi Y, Tanaka R, Nakanishi K, Kaneko T, Iijima K, Honda M.

Insignificant impact of VUR on the progression of CKD in children with CAKUT. CKD Study Group in Japan in conjunction with the Committee of Measures for Pediatric CKD of the Japanese Society for Pediatric Nephrology.

Pediatr Nephrol. 31(1):105-12,2016

Matsumoto M, Awano H, Ogi M, Tomioka K, Unzaki A, Nishiyama M, Toyoshima D, Taniguchi-Ikeda M, Ishida A, Nagase H, Morioka I, Iijima K.

A pediatric patient with interstitial pneumonia due to enterovirus D68.

J Infect Chemother.22(10):712-5,2016

Bo R, Hasegawa Y, Yamada K, Kobayashi H, Taketani T, Fukuda S, and Yamaguchi S:

A fetus with mitochondrial trifunctional protein deficiency: Elevation of 3-OH-acylcarnitines in amniotic fluid functionally assured the genetic diagnosis

Mol Genet Metab Rep. 2016 Mar; 6:1-4.

Kato T, Mandai T, Iwatani S, Koda T, Nagasaka M, Fujita K, Kurokawa D, Yamana K, Nishida K, Taniguchi-Ikeda M, Tanimura K, Deguchi M, Yamada H, Iijima K, Morioka I.

Extremely preterm infants small for gestational age are at risk for motor impairment at 3 years corrected age.

Brain Dev. 38(2):188-95,2016

Morioka I, Nakamura H, Iwatani S, Wong RJ, Iijima K:

International Perspectives: Clinical kernicterus in preterm infants in Japan.

NeoReviews. 17 (3):124-130,2016

Nagasaka M, Morioka I, Kawabata A, Yamagishi Y, Iwatani S, Taniguchi-Ikeda M, Ishida A, Iijima K, Mori Y

Comprehensive analysis of serum cytokines/chemokines in febrile children with primary human herpes virus-6B infection.

J Infect Chemother. 22(9):593-598,2016

Nozu K, Nozu Y, Nakanishi K, Konomoto T, Horinouchi T, Shono A, Morisada N, Minamikawa S, Yamamura T, Fujimura J, Nakanishi K, Ninchoji T, Kaito H, Morioka I, Taniguchi-Ikeda M, Vorechovsky I, Iijima K

Cryptic exon activation in SLC12A3 in Gitelman syndrome.

J Hum Genet. 2016 Oct 27. doi: 10.1038/jhg.2016.129. [Epub ahead of print]

Yoshimoto S, Harahap NIF, Hamamura Y, Rochmah MA, Shima A, Morisada N, Shinohara M, Saito T, Saito K, Lai PS, Matsuo M, Awano H, Morioka I, Iijima K, Nishio

H

Alternative splicing of a cryptic exon embedded in intron 6 of SMN1 and SMN2.
Hum Genome Var. 3:16040,2016

Tanimura K, Tairaku S, Ebina Y, Morioka I, Nagamata S, Deguchi K, Morizane M,
Deguchi M, Minematsu T, Yamada H

Prediction of congenital cytomegalovirus infection in high-risk pregnant women.
Clin Infect Dis. 2016 Oct 20 doi: 10.1093/cid/ciw707. [Epub ahead of print]

Yokota K, Nozu K, Minamikawa S, Yamamura T, Nakanishi K, Kaneda H, Hamada R,
Nozu Y, Shono A, Ninchoji T, Morisada N, Ishimori S, Fujimura J, Horinouchi T, Kaito
H, Nakanishi K, Morioka I, Taniguchi-Ikeda M, Iijima K

Female X-linked Alport syndrome with somatic mosaicism.
Clin Exp Nephrol. 2016 Oct 31. [Epub ahead of print]

Nagasaka H, Komatsu H, Inui A, Nakacho M, Morioka I, Tsukahara H, Kaji S,
Hirayama S, Miida T, Kondou H, Ihara K, Yagi M, Kizaki Z, Bessho K, Kodama T, Iijima
K, Saheki T, Yorifuji T, Honda A

Circulating tricarboxylic acid cycle metabolite levels in citrin-deficient children
with metabolic adaptation, with and without sodium pyruvate treatment.
Mol Genet Metab. 2016 Dec 24. pii: S1096-7192(16)30809-5. doi:
10.1016/j.ymgme.2016.12.011. [Epub ahead of print]

Nagao R, Suzuki S, Kawashima H, Nozu K, Iijima K.

Acute kidney injury in type 3 Bartter syndrome: Angiotensin-converting enzyme
inhibitors as a cause.
Pediatr Int. 58(12):1373-4, 2016.

Uchida N, Kumagai N, Nozu K, Fu XJ, Iijima K, Kondo Y, Kure S.

Early RAAS Blockade Exerts Renoprotective Effects in Autosomal Recessive Alport
Syndrome.
Tohoku J Exp Med. 240(3):251-7, 2016.

Iwafuchi Y, Morioka T, Oyama Y, Nozu K, Iijima K, Narita I.

A Case of Transforming Growth Factor- β -Induced Gene-Related Oculorenal
Syndrome: Granular Corneal Dystrophy Type II with a Unique Nephropathy.

Case Rep Nephrol Dial. 6(3):106-13, 2016.

Abe Y, Iyoda M, Nozu K, Hibino S, Hihara K, Yamaguchi Y, Yamamura T, Minamikawa S, Iijima K, Shibata T, Itabashi K.

A Novel Mutation in a Japanese Family with X-linked Alport Syndrome.

Intern Med. 55(19):2843-7, 2016.

Shima Y, Nakanishi K, Sato M, Hama T, Mukaiyama H, Togawa H, Tanaka R, Nozu K, Sako M, Iijima K, Suzuki H, Yoshikawa N.

IgA nephropathy with presentation of nephrotic syndrome at onset in children.

Pediatr Nephrol. 2016 Oct 6. [Epub ahead of print]

Morisada N, Ioroi T, Taniguchi-Ikeda M, Juan Ye M, Okamoto N, Yamamoto T, Iijima K.

A 12p13 GRIN2B deletion is associated with developmental delay and macrocephaly.

Hum Genome Var. 3:16029, 2016. doi: 10.1038/hgv.2016.29.

Kikunaga K, Ishikura K, Terano C, Sato M, Komaki F, Hamasaki Y, Sasaki S, Iijima K, Yoshikawa N, Nakanishi K, Nakazato H, Matsuyama T, Ando T, Ito S, Honda M.

Japanese Pediatric Survey Holding Information of NEphrotic syndrome (JP-SHINE) study of the Japanese Study Group of Renal Disease in Children.

High incidence of idiopathic nephrotic syndrome in East Asian children: a nationwide survey in Japan (JP-SHINE study).

Clin Exp Nephrol. 2016 Sep 2. [Epub ahead of print]

Hirase S, Saitoh A, Hartomo TB, Kozaki A, Yanai T, Hasegawa D, Kawasaki K, Kosaka Y, Matsuo M, Yamamoto N, Mori T, Hayakawa A, Iijima K, Nishio H, Nishimura N.

Early detection of tumor relapse/regrowth by consecutive minimal residual disease monitoring in high-risk neuroblastoma patients.

Oncol Lett. 12(2):1119-23, 2016.

Iijima K, Sako M, Nozu K.

Rituximab for nephrotic syndrome in children.

Clin Exp Nephrol. 2016 Jul 15. [Epub ahead of print] Review.

Fu XJ, Nozu K, Eguchi A, Nozu Y, Morisada N, Shono A, Taniguchi-Ikeda M, Shima Y, Nakanishi K, Vorechovsky I, Iijima K.

～英文論文 2016 年度～

X-linked Alport syndrome associated with a synonymous p.Gly292Gly mutation alters the splicing donor site of the type IV collagen alpha chain 5 gene.

Clin Exp Nephrol. 20(5):699-702, 2016.

Hashimoto O, Yoshida M, Koma Y, Yanai T, Hasegawa D, Kosaka Y, Nishimura N, Yokozaki H.

Collaboration of cancer-associated fibroblasts and tumour-associated macrophages for neuroblastoma development.

J Pathol 240: 211-223, 2016.