

山下 智也 (Tomoya Yamashita, MD, PhD.)

昭和 43 (1968) 年 11 月 23 日生 52 歳

神戸大学医学部附属病院 循環器内科 准教授
(神戸大学大学院医学系研究科 内科学講座 循環器内科学分野)

連絡先 ; 神戸市中央区楠町 7-5-1

TEL; 078-382-5846 FAX; 078-382-5859

e-mail; tomoya@med.kobe-u.ac.jp

履歴

平成 5 年 3 月	神戸大学医学部医学科 卒業
平成 5 年~8 年	神戸大学附属病院 / 市立加西病院 内科・循環器科研修
平成 8 年~12 年	神戸大学大学院医学系研究科 修了 医学博士
平成 12 年 4 月~同年 11 月	神戸大学医学部附属病院 循環器内科 医員
平成 12 年 12 月~15 年 8 月	神戸大学大学院医学系研究科 医学研究員
平成 15 年 9 月~18 年 3 月	カリフォルニア大学サンディエゴ校(UCSD)医学部 博士研究員
平成 18 年 4 月~6 月	神戸大学大学院医学系研究科 医学研究員
平成 18 年 7 月~22 年 4 月	神戸大学附属病院 循環器内科 特定助教・助教
平成 22 年 4 月~24 年 6 月	神戸大学大学院医学研究科 循環器内科学分野 助教
平成 24 年 7 月~26 年 4 月	同 講師
平成 26 年 5 月~	神戸大学附属病院 循環器内科 准教授

専門 ; 循環器内科学 動脈硬化 免疫学

専門医 ; 日本内科学会総合内科専門医・指導医 日本循環器学会認定循環器専門医
日本動脈硬化学会認定動脈硬化専門医・指導医

研究分野

動脈硬化性疾患の病態の解明とその予防
循環器疾患の基礎的研究

研究内容

動脈硬化における炎症免疫反応の役割の解明・抗炎症免疫療法の開発
循環器疾患と腸内細菌叢との関連性の解明

賞罰

2011 年 Daniel Steinberg New Investigator Award in Atherosclerosis/Lipoproteins (AHA)
2014 年 平成 25 年度 神戸大学病院ベストティーチャー賞
2016 年 五島雄一郎賞 (日本動脈硬化学会)

Publication List

Yoshida N, Kitahama S, Yamashita T, Hirono Y, Tabata T, Saito Y, Shinohara R, Nakashima H, Emoto T, Hirota Y, Takahashi T, Ogawa W, Hirata K. Metabolic alterations in plasma after laparoscopic sleeve gastrectomy. *J Diabetes Investig.* 2021; 12: 123-9.

Tabata T, Yamashita T, Hosomi K, Park J, Hayashi T, Yoshida N, Saito Y, Fukuzawa K, Konishi K, Murakami H, Kawashima H, Mizuguchi K, Miyachi M, Kunisawa J, Hirata K. Gut microbial composition in patients with atrial fibrillation: effects of diet and drugs. *Heart Vessels.* 2021; 36: 105-14.

Yoshida N, Yamashita T, Kishino S, Watanabe H, Sasaki K, Sasaki D, Tabata T, Sugiyama Y, Kitamura N, Saito Y, Emoto T, Hayashi T, Takahashi T, Shinohara M, Osawa R, Kondo A, Yamada T, Ogawa J, Hirata K. A possible beneficial effect of Bacteroides on faecal lipopolysaccharide activity and cardiovascular diseases. *Sci Rep.* 2020; 10: 13009.

Yoshida N, Saito Y, Tsujimoto Y, Taito S, Banno M, Kataoka Y, Yamashita T, Hirata K. The impact of antibiotics on the metabolic status of obese adults without bacterial infection: a systematic review and meta-analysis. *Ann Transl Med.* 2020; 8: 1059.

Suehiro H, Fukuzawa K, Yoshida N, Kiuchi K, Takami M, Akita T, Tabata T, Takemoto M, Sakai J, Nakamura T, Yatomi A, Takahara H, Sonoda Y, Nakasone K, Yamamoto K, Suzuki A, Yamashita T, Hirata K. Circulating intermediate monocytes and toll-like receptor 4 correlate with low-voltage zones in atrial fibrillation. *Heart Vessels.* 2020; 35: 1717-26.

Amin HZ, Sasaki N, Yamashita T, Mizoguchi T, Hayashi T, Emoto T, Matsumoto T, Yoshida N, Tabata T, Horibe S, Kawauchi S, Rikitake Y, Hirata K. CTLA-4 protects against angiotensin II-induced abdominal aortic aneurysm formation in mice. *Sci Rep.* 2019; 9: 8065.

Ogawa M, Yoshida N, Satomi-Kobayashi S, Tsuboi Y, Komaki K, Wakida K, Gotake Y, Inoue T, Tanaka H, Yamashita T, Sakai Y, Izawa KP, Takahashi M, Ogawa W, Hirata K. Efficacy of preoperative amino acid supplements on postoperative physical function and complications in open heart surgery patients: A study protocol for a randomized controlled trial. *J Cardiol.* 2019; 74: 360-5.

Yoshida N, Sasaki K, Sasaki D, Yamashita T, Fukuda H, Hayashi T, Tabata T, Osawa R, Hirata K, Kondo A. Effect of Resistant Starch on the Gut Microbiota and Its Metabolites in Patients with Coronary Artery Disease. *J Atheroscler Thromb.* 2019; 26: 705-19.

Hayashi T, Yamashita T, Watanabe H, Kami K, Yoshida N, Tabata T, Emoto T, Sasaki N, Mizoguchi T, Irino Y, Toh R, Shinohara M, Okada Y, Ogawa W, Yamada T, Hirata K. Gut microbiome and plasma microbiome-related metabolites in patients with decompensated and compensated heart failure. *Circ J.* 2018; 83: 182-92.

Yoshida N, Emoto T, Yamashita T, Watanabe H, Hayashi T, Tabata T, Hoshi N, Hatano N, Sasaki N, Mizoguchi T, Amin HZ, Hirota Y, Ogawa W, Yamada T, Hirata K. Bacteroides vulgatus and Bacteroides dorei reduce gut microbial lipopolysaccharide production and inhibit atherosclerosis. *Circulation.* 2018; 138: 2486-98.

Yamamoto H, Yoshida N, Shinke T, Otake H, Kuroda M, Sakaguchi K, Hirota Y, Toba T, Takahashi H, Terashita D, Uzu K, Tahara N, Shinkura Y, Kuroda K, Nagasawa Y, Nagano Y,

Tsukiyama Y, Yanaka KI, Emoto T, Sasaki N, Yamashita T, Ogawa W, Hirata K. Data on impact of monocytes and glucose fluctuation on plaque vulnerability in patients with coronary artery disease. *Data Brief*. 2018; 18: 172-5.

Yamamoto H, Yoshida N, Shinke T, Otake H, Kuroda M, Sakaguchi K, Hirota Y, Toba T, Takahashi H, Terashita D, Uzu K, Tahara N, Shinkura Y, Kuroda K, Nagasawa Y, Nagano Y, Tsukiyama Y, Yanaka K, Emoto T, Sasaki N, Yamashita T, Ogawa W, Hirata K. Impact of CD14⁺⁺CD16⁺ monocytes on coronary plaque vulnerability assessed by optical coherence tomography in coronary artery disease patients. *Atherosclerosis*. 2018; 269: 245-51.

Yoshida N, Yamamoto H, Shinke T, Otake H, Kuroda M, Terashita D, Takahashi H, Sakaguchi K, Hirota Y, Emoto T, Amin HZ, Mizoguchi T, Hayashi T, Sasaki N, Yamashita T, Ogawa W, Hirata K. Impact of CD14⁺⁺CD16⁺ monocytes on plaque vulnerability in diabetic and non-diabetic patients with asymptomatic coronary artery disease: a cross-sectional study. *Cardiovasc Diabetol*. 2017; 16: 96.

Hayashi T, Sasaki N, Yamashita T, Mizoguchi T, Emoto T, Amin HZ, Yodoi K, Matsumoto T, Kasahara K, Yoshida N, Tabata T, Kitano N, Fukunaga A, Nishigori T, Rikitake Y, Hirata K. UVB Exposure Inhibits Angiotensin II-Induced Abdominal Aortic Aneurysm Formation in Mice by Expanding CD4⁺Foxp3⁺ Regulatory T cells. *J Am Heart Assoc*. 2017; 6: e007024.

Kasahara K, Tanoue T, Yamashita T, Yodoi K, Matsumoto T, Emoto T, Mizoguchi T, Hayashi T, Kitano N, Sasaki N, Atarashi K, Honda K, Hirata K. Commensal bacteria at the crossroad between cholesterol homeostasis and chronic inflammation in atherosclerosis. *J Lipid Res*. 2017; 58: 519-28.

Mizoguchi T, Kasahara K, Yamashita T, Sasaki N, Yodoi K, Matsumoto T, Emoto T, Hayashi T, Kitano N, Yoshida N, Amin HZ, Hirata K. Oral administration of the lactic acid bacterium *Pediococcus acidilactici* attenuates atherosclerosis in mice by inducing tolerogenic dendritic cells. *Heart Vessels*. 2017; 32: 768-76.

Sasaki N, Yamashita T, Kasahara K, Fukunaga A, Yamaguchi T, Emoto T, Yodoi K, Matsumoto T, Nakajima K, Kita T, Takeda M, Mizoguchi T, Hayashi T, Sasaki Y, Hatakeyama M, Taguchi K, Washio K, Sakaguchi S, Malissen B, Nishigori C, Hirata K. UVB exposure prevents atherosclerosis by regulating immunoinflammatory responses. *Arterioscler Thromb Vasc Biol*. 2017; 37: 66-74.

Emoto T, Yamashita T, Kobayashi T, Sasaki N, Hirota Y, Hayashi T, So A, Kasahara K, Yodoi K, Matsumoto T, Mizoguchi T, Ogawa W, Hirata K. Characterization of gut microbiota profiles in coronary artery disease patients using data mining analysis of terminal restriction fragment length polymorphism: gut microbiota could be a diagnostic marker of coronary artery disease. *Heart Vessels*. 2017; 32: 39-46.

Suzuki A, Fukuzawa K, Yamashita T, Yoshida A, Sasaki N, Emoto T, Takei A, Fujiwara R, Nakanishi T, Yamashita S, Matsumoto A, Konishi H, Ichibori H, Hirata K. Circulating intermediate CD14⁺⁺CD16⁺ monocytes are increased in patients with atrial fibrillation and reflect the functional remodelling of the left atrium. *Europace*. 2017; 19: 40-47.

Matsumoto T, Sasaki N, Yamashita T, Emoto T, Kasahara K, Mizoguchi T, Hayashi T, Yodoi K, Kitano N, Saito T, Yamaguchi T, Hirata K. Overexpression of CTLA-4 prevents atherosclerosis in mice. *Arterioscler Thromb Vasc Biol.* 2016; 36: 1141-51.

Emoto T, Yamashita T, Sasaki N, Hirota Y, Hayashi T, So A, Kasahara K, Yodoi K, Matsumoto T, Mizoguchi T, Ogawa W, Hirata K. Analysis of gut microbiota in coronary artery disease patients - A possible link between gut microbiota and coronary artery disease - *J Atheroscler Thromb.* 2016; 23: 908-21.

Yodoi K, Yamashita T, Sasaki N, Kasahara K, Emoto T, Matsumoto T, Kita T, Sasaki Y, Mizoguchi T, Sparwasser T, Hirata K. Foxp3+ Regulatory T Cells Play a Protective Role in Angiotensin II-Induced Aortic Aneurysm Formation in Mice. *Hypertension.* 2015; 65: 889-95.

Emoto T, Sasaki N, Yamashita T, Kasahara K, Yodoi K, Sasaki Y, Matsumoto T, Mizoguchi T, Hirata K. Regulatory/effector T-cell ratio is reduced in coronary artery disease. *Circ J.* 2014; 78: 2935-41.

Mori S, Yamashita T, Takaya T, Kinugasa M, Takamine S, Shigeru M, Ito T, Fujiwara S, Nishii T, Kono A, Hirata K. Association between the rotation and three-dimensional tortuosity of the proximal ascending aorta. *Clin Anat.* 2014; 27: 1200-11.

Kasahara K, Sasaki N, Yamashita T, Kita T, Yodoi K, Sasaki Y, Takeda M, Hirata K. CD3 Antibody and IL-2 Complex Combination Therapy Inhibits Atherosclerosis by Augmenting a Regulatory Immune Response. *J Am Heart Assoc.* 2014; 3: e000719.

Kita T, Yamashita T, Sasaki N, Kasahara K, Sasaki Y, Yodoi K, Takeda M, Nakajima K, Hirata K. Regression of Atherosclerosis with Anti-CD3 Antibody via Augmenting a Regulatory T Cell Response in Mice. *Cardiovasc Res.* 2014; 102: 107-17.

Sun L, Ishida T, Okada T, Yasuda T, Hara T, Toh R, Shinohara M, Yamashita T, Rikitake Y, Hirata K. Expression of endothelial lipase correlates with the size of neointima in a murine model of vascular remodeling. *J Atheroscler Thromb.* 2012; 19: 1110-27.

Eberle C, Merki E, Yamashita T, Johnson S, Armando AM, Quehenberger O, Napoli C, Palinski W. Maternal immunization affects in utero programming of insulin resistance and type 2 diabetes. *PLoS ONE.* 2012; 7: e45361.

Takeda M, Yamashita T, Shinohara M, Sasaki N, Tawa H, Nakajima K, Momose A, Hirata K. Beneficial effect of anti-platelet therapies on atherosclerotic lesion formation assessed by phase-contrast X-ray CT imaging. *Int J Cardiovasc Imaging.* 2012; 28: 1181-1191.

Nakajima K, Yamashita T, Kita T, Takeda M, Sasaki N, Kasahara K, Shinohara M, Rikitake Y, Ishida T, Yokoyama M, Hirata K. Orally administered eicosapentaenoic acid induces rapid regression of atherosclerosis via modulating the phenotype of dendritic cells in LDL receptor-deficient mice. *Arterioscler Thromb Vasc Biol.* 2011; 31: 1963-1972.

Quehenberger O, Yamashita T, Armando AM, Dennis EA, Palinski W. Effect of gestational hypercholesterolemia and maternal immunization on offspring plasma eicosanoids. *Am J Obstet Gynecol.* 2011; 205: 156 e15-e25.

Takeda M, Yamashita T, Sasaki N, Nakajima K, Kita T, Shinohara M, Ishida T, Hirata K. Oral administration of an active vitamin D3 (calcitriol) decreases atherosclerosis in mice via inducing regulatory T cells and immature dendritic cells with tolerogenic function. *Arterioscler Thromb Vasc Biol.* 2010; 30 :2495-2503.

Sasaki N, Yamashita T, Takeda M, Shinohara M, Nakajima K, Tawa H, Usui T, Hirata K. Oral anti-CD3 antibody treatment induces regulatory T cells and inhibits the development of atherosclerosis in mice. *Circulation.* 2009; 120: 1996-2005.

Takeda M, Yamashita T, Shinohara M, Sasaki N, Takaya T, Nakajima K, Inoue N, Masano T, Tawa H, Satomi-Kobayashi S, Toh R, Sugiyama D, Nishimura K, Yokoyama M, Hirata K, Kawashima S. Plasma tetrahydrobiopterin/dihydrobiopterin ratio. –A possible marker of endothelial dysfunction- *Circ J.* 2009; 73: 955-962.

Masano T, Kawashima S, Toh R, Satomi-Kobayashi S, Shinohara M, Takaya T, Sasaki N Tawa H, Yamashita T, Yokoyama M, Hirata K. Beneficial effects of exogenous tetrahydrobiopterin on left ventricular remodeling after myocardial infarction in rats. *Circ J.* 2008; 72: 1512-1519.

Sasaki N, Yamashita T, Takaya T, Shinohara M, Shiraki R, Takeda M, Emoto N, Fukatsu A, Hayashi T, Ikemoto K, Nomura T, Yokoyama M, Hirata K, Kawashima S. Augmentation of vascular remodeling by uncoupled endothelial nitric oxide synthase in a mouse model of diabetes mellitus. *Arterioscler Thromb Vasc Biol.* 2008; 28: 1068-1076.

Shinohara M, Yamashita T, Tawa H, Takeda M, Sasaki N, Takaya T, Toh R, Takeuchi, A, Ohigashi T, Shinohara K, Yokoyama M, Kawashima S, Hirata K, Momose A. Atherosclerotic Plaque Imaging using Phase-contrast X-ray Computed Tomography. *Am J Physiol.* 2008: 294: 1094-1100.

Shinohara M, Hirata K, Yamashita T, Takaya T, Sasaki N, Shiraki R, Ueyama T, Emoto N, Inoue N, Yokoyama M, Kawashima S. Local overexpression of Toll-like Receptors at the vessel wall induces formation of atherosclerotic lesion: Synergism of Toll-like Receptor 2 and Toll-like Receptor 4. *Arterioscler Thromb Vasc Biol.* 2007; 27: 2384-2391.

Yamashita T, Kawashima S, Hirase T, Shinohara M, Takaya T, Sasaki N, Takeda M, Tawa H, Inoue N, Hirata K, Yokoyama M. Xenogenic macrophage immunization reduces atherosclerosis in apolipoprotein E knockout mice. *Am J Physiol.* 2007; 293: C865-873.

Matsui A, Okigaki M, Amano K, Adachi Y, Jin D, Takai S, Yamashita T, Kawashima S, Kurihara T, Miyazaki M, Tateishi K, Matsunaga S, Katsume A, Honsho S, Takahashi T, Matoba S, Kusaba T, Tatsumi T, Matsubara H. Central Role of Calcium-Dependent Tyrosine Kinase PYK2 in Endothelial Nitric Oxide Synthase Mediated Angiogenic Response and Vascular Function. *Circulation.* 2007; 116; 1041-1051.

Takaya T, Hirata K, Yamashita T, Shinohara M, Sasaki N, Inoue N, Yada T, Goto M, Fukatsu A, Hayashi T, Alp NJ, Channon KM, Yokoyama M, Kawashima S. A specific role for eNOS-derived reactive oxygen species in atherosclerosis progression. *Arterioscler Thromb Vasc Biol.* 2007; 27: 1632-1637.

Yamashita T, Freigang S, Eberle C, Pattison J, Gupta S, Napoli C, Palinski W. Maternal immunization programs postnatal immune responses and reduces atherosclerosis in offspring.

Circ Res. 2006; 99: e51-64.

Yoshimura K, Nishimura Y, Nishiuma T, Yamashita T, Kobayashi K, Yokoyama M. Overexpression of nitric oxide synthase by the endothelium attenuates bleomycin-induced lung fibrosis and impairs MMP-9/TIMP-1 balance. *Respirology.* 2006; 11: 546-56.

Kobayashi K, Nishimura Y, Yamashita T, Nishiuma T, Satouchi M, Yokoyama M. The effect of overexpression of endothelial nitric oxide synthase on eosinophilic lung inflammation in a murine model. *Int Immunopharm.* 2006; 6: 1040-1052.

Takenaka K, Nishimura Y, Nishiuma T, Sakashita A, Yamashita T, Kobayashi K, Satouchi M, Ishida T, Kawashima S, Yokoyama M. Ventilator-induced lung injury in transgenic mice that overexpress endothelial nitric oxide synthase. *Am J Physiol.* 2006; 290: L1078-1086.

Toh R, Shinohara M, Takaya T, Yamashita T, Masuda S, Kawashima S, Yokoyama M, Yagi N. An X-ray Diffraction Study on Mouse Cross-Bridge Function in vivo: Effects of Adrenergic {beta}-stimulation. *Biophys J.* 2006; 90: 1723-1728.

Takaya T, Kawashima S, Shinohara M, Yamashita T, Toh R, Sasaki N, Inoue N, Hirata KI, Yokoyama M. Angiotensin II type 1 receptor blocker telmisartan suppresses superoxide production and reduces atherosclerotic lesion formation in apolipoprotein E-deficient mice. *Atherosclerosis.* 2006; 186: 402-410.

Shinohara M, Kawashima S, Yamashita T, Takaya T, Toh R, Ishida T, Ueyama T, Inoue N, Hirata K, Yokoyama M. Xenogenic smooth muscle cell immunization reduces neointimal formation in balloon-injured rabbit carotid arteries. *Cardiovasc Res.* 2005; 68: 249-258.

Ishida T, Choi SY, Kunda RK, Spin J, Yamashita T, Hirata K, Kojima Y, Yokoyama M, Cooper AD, Quertermous T. Endothelial lipase modulates susceptibility to atherosclerosis in apolipoprotein-E-deficient mice. *J Biol Chem.* 2004; 279: 45085-45092.

Namiki M, Kawashima S, Yamashita T, Ozaki M, Sakoda T, Inoue N, Hirata K, Morishita R, Kaneda Y, Yokoyama M. Intramuscular gene transfer of interleukin-10 cDNA reduces atherosclerosis in apolipoprotein E-knockout mice. *Atherosclerosis.* 2004; 172: 21-29.

Kawashima S, Yamashita T, Miwa Y, Ozaki M, Namiki M, Hirase T, Inoue N, Hirata K, Yokoyama M. HMG-CoA reductase inhibitor has protective effects against stroke events in stroke-prone spontaneously hypertensive rats. *Stroke.* 2003; 34: 157-163.

Ozaki M, Kawashima S, Yamashita T, Hirase T, Ohashi Y, Inoue N, Hirata K, Yokoyama M. Overexpression of endothelial nitric oxide synthase attenuates cardiac hypertrophy induced by chronic isoproterenol infusion. *Circ J.* 2002; 66: 851-856.

Rikitake Y, Hirata K, Yamashita T, Iwai K, Kobayashi S, Itoh H, Ozaki M, Ejiri J, Shiomi M, Inoue N, Kawashima S, Yokoyama M. Expression of G2A, a receptor for lysophosphatidylcholine, by macrophages in murine, rabbit, and human atherosclerotic plaques. *Arterioscler Thromb Vasc Biol.* 2002; 22:2049-2053.

Yamashita T, Kawashima S, Miwa Y, Ozaki M, Namiki M, Hirase T, Inoue N, Hirata K, Yokoyama M. A 3-hydroxy-3-methylglutaryl co-enzyme A reductase inhibitor reduces

hypertensive nephrosclerosis in stroke-prone spontaneously hypertensive rats. *J Hypertens.* 2002; 20: 2465-2473.

Yamashita T, Kawashima S, Ozaki M, Namiki M, Shinohara M, Inoue N, Hirata K, Umetani K, Yokoyama M. In vivo angiographic detection of vascular lesions in apolipoprotein E-knockout mice using a synchrotron radiation microangiography system. *Circ J.* 2002; 66: 1057-1059.

Ozaki M, Kawashima S, Yamashita T, Hirase T, Namiki M, Inoue N, Hirata K, Yasui H, Sakurai H, Yoshida Y, Masada M, Yokoyama M. Overexpression of endothelial nitric oxide synthase accelerates atherosclerotic lesion formation in apoE-deficient mice. *J Clin Invest.* 2002; 110: 331-340.

Yamashita T, Kawashima S, Ozaki M, Namiki M, Inoue N, Hirata K, Yokoyama M. Propagermanium reduces atherosclerosis in apolipoprotein E knockout mice via inhibition of macrophage infiltration. *Arterioscler Thromb Vasc Biol.* 2002; 22: 969-974.

Ozaki M, Kawashima S, Hirase T, Yamashita T, Namiki M, Inoue N, Hirata K, Yokoyama M. Overexpression of endothelial nitric oxide synthase in endothelial cells is protective against ischemia-reperfusion injury in mouse skeletal muscle. *Am J Pathol.* 2002; 160: 1335-1344.

Yamashita T, Kawashima S, Ozaki M, Namiki M, Hirase T, Inoue N, Hirata K, Umetani K, Sugimura K, Yokoyama M. Mouse coronary angiograph using synchrotron radiation microangiography. *Circulation.* 2002; 105: e3-e4.

Namiki M, Kawashima S, Yamashita T, Ozaki M, Hirase T, Ishida T, Inoue N, Hirata K, Matsukawa A, Morishita R, Kaneda Y, Yokoyama M. Local overexpression of monocyte chemoattractant protein-1 at vessel wall induces infiltration of macrophages and formation of atherosclerotic lesion. Synergism with hypercholesterolemia. *Arterioscler Thromb Vasc Biol.* 2002; 22: 115-120.

Yamashita T, Kawashima S, Ozaki M, Namiki M, Satomi-Kobayashi S, Seno T, Matsuda Y, Inoue N, Hirata K, Akita H, Umetani K, Tanaka E, Mori H, Yokoyama M. Role of endogenous nitric oxide generation in the regulation of vascular tone and reactivity in small vessels as investigated in transgenic mice using synchrotron radiation microangiography. *Nitric Oxide.* 2001; 5: 494-503.

Rikitake Y, Kawashima S, Takeshita S, Yamashita T, Azumi H, Yasuhara M, Nishi H, Inoue N, Yokoyama M. Anti-oxidative properties of fluvastatin, an HMG-CoA reductase inhibitor, contribute to prevention of atherosclerosis in cholesterol-fed rabbits. *Atherosclerosis.* 2001; 154: 87-96.

Yamashita T, Kawashima S, Ozaki M, Rikitake Y, Hirase T, Inoue N, Hirata K, Yokoyama M. A calcium channel blocker, benidipine, inhibits intimal thickening in the carotid artery of mice by increasing nitric oxide production. *J Hypertens.* 2001; 19: 451-458.

Kawashima S, Yamashita T, Ozaki M, Ohashi Y, Azumi H, Inoue N, Hirata K, Hayashi Y, Itoh H, Yokoyama M. Endothelial NO synthase overexpression inhibits lesion formation in mouse model of vascular remodeling. *Arterioscler Thromb Vasc Biol.* 2001; 21:1201-1207.

Ozaki M, Kawashima S, Yamashita T, Ohashi Y, Rikitake Y, Inoue N, Hirata K, Hayashi Y, Yokoyama M. Reduced hypoxic pulmonary vascular remodeling by nitric oxide from the endothelium. *Hypertension*. 2001; 37:322-327.

Ueyama T, Kawashima S, Sakoda T, Rikitake Y, Ishida T, Kawai M, Yamashita T, Ishido S, Hotta H, Yokoyama M. Requirement of activation of the extracellular signal-regulated kinase cascade in myocardial cell hypertrophy. *J Mol Cell Cardiol*. 2000; 32:947-960.

Yamashita T, Kawashima S, Ohashi Y, Ozaki M, Rikitake Y, Inoue N, Hirata K, Akita H, Yokoyama M. Mechanisms of reduced nitric oxide/cGMP-mediated vasorelaxation in transgenic mice overexpressing endothelial nitric oxide synthase. *Hypertension*. 2000; 36: 97-102.

Rikitake Y, Kawashima S, Yamashita T, Ueyama T, Ishido S, Hotta H, Hirata K, Yokoyama M. Lysophosphatidylcholine inhibits endothelial cell migration and proliferation via inhibition of the extracellular signal-regulated kinase pathway. *Arterioscler Thromb Vasc Biol*. 2000; 20: 1006-1012.

Yamashita T, Kawashima S, Ohashi Y, Ozaki M, Ueyama T, Ishida T, Inoue N, Hirata K, Akita H, Yokoyama M. Resistance to endotoxin shock in transgenic mice overexpressing endothelial nitric oxide synthase. *Circulation*. 2000; 101: 931-937.

Ohashi Y, Kawashima S, Hirata K, Yamashita T, Ishida T, Inoue N, Sakoda T, Kurihara H, Yazaki Y, Yokoyama M. Hypotension and reduced nitric oxide-elicited vasorelaxation in transgenic mice overexpressing endothelial nitric oxide synthase. *J Clin Invest*. 1998; 102: 2061-2071.

Review

Yamashita T, Yoshida N, Emoto T, Saito Y, Hirata K. Two Gut Microbiota-Derived Toxins Are Closely Associated with Cardiovascular Diseases: A Review. *Toxins*. 2021; 13: 297.

Yoshida N, Yamashita T, Hirata K. Gut Microbiome and Cardiovascular Diseases. 2018; 6: e56.

Yamashita T. Intestinal Immunity and Gut Microbiota in Atherogenesis. *J Atheroscler Thromb*. 2017; 24: 110-119.

Yamashita T, Emoto T, Sasaki N, Hirata K. Gut Microbiota and Coronary Artery Disease. *Int Heart J*. 2016; 57: 663-671.

Yamashita T, Kasahara K, Emoto T, Matsumoto T, Mizoguchi T, Kitano N, Sasaki N, Hirata K. Intestinal Immunity and Gut Microbiota as Therapeutic Targets for Preventing Atherosclerotic Cardiovascular Diseases. *Circ J*. 2015; 79: 1882-90.

Yamashita T, Sasaki N, Kasahara K, Hirata K. Anti-inflammatory and immune-modulatory therapies for preventing atherosclerotic cardiovascular disease. *J Cardiol*. 2015; 66: 1-8.

Sasaki N, Yamashita T, Kasahara K, Takeda M, Hirata K. Regulatory T cells and tolerogenic dendritic cells as critical immune modulators in atherogenesis. *Curr Pharm Des*. 2015; 21: 1107-17.

Takeda M, Yamashita T, Sasaki N, Hirata-K. Dendritic cells in atherogenesis: Possible novel targets for prevention of atherosclerosis. *J Atheroscler Thromb*. 2012; 19: 953-961.

Sasaki N, Yamashita T, Takeda M, Hirata K. Regulatory T cells in atherogenesis. *J Atheroscler Thromb.* 2012; 19: 503-515.

Palinski W, Yamashita T, Freigang S, Napoli C. Development programming: maternal hypercholesterolemia and immunity influence susceptibility to atherosclerosis. *Nutr Rev.* 2007; 65: S182-187.

Editorial

Yamashita T, Yoshida N, Emoto T, Hirata K. Unraveling the Effects of Trimethylamine N-Oxide on Stroke: "The lower, the better?" *J Atheroscler Thromb.* 2021 doi: 10.5551/jat.ED142.

Yamashita T, Hayashi T, Yoshida N, Hirata K. Gut Microbial Dysbiosis in Heart Failure - Is It a Future Therapeutic Target or Not? *Circ J.* 2018; 82:1507-9.

Yamashita T, Hayashi T, Tabata T, Hirata K. Bicuspid Aortic Valve-Associated Aortic Dilatation - What Is the Mechanism of Bicuspid Aortopathy? *Circ J.* 2018;82: 2470-1.

Patent

U.S. Patent. No.: US 8,961,982 Date of Patent: Feb. 24, 2015.

出願番号： PCT/JP2019/004763 出願日： 2019年2月8日
発明の名称： リポ多糖制御性腸内細菌及びその用途 出願人： 日東薬品工業株式会社

Case Report

Nagasawa A, Mori S, Akita T, Yamada H, Oki T, Nishii T, Yamashita T, Okita Y, Hirata K. Giant Coronary Arterial Aneurysm of the Proximal Left Anterior Descending Artery as the Cause of Wide Splitting of the Second Heart Sound. *Intern Med.* 2018; 57: 1111-1114.

Zeng F, Takaya T, Yoshida N, Ito T, Suto M, Hatani Y, Sano H, Ito J, Fukuoka H, Yamashita T, Hirata K. A case of fatal heart and liver failure accompanied by thyroid storm treated with prompt plasma exchange. *J Cardiol Cases.* 2017; 15: 100-103.

Kawano H, Tanaka H, Yamashita T, Hirata K, Ishii S, Suzuki T, Wakahashi K, Kawano Y, Sada A, Minagawa K, Kawakami F, Itoh T, Baba A, Matsui T, Katayama Y. Very late-onset reversible cardiomyopathy in patients with chronic GvHD. *Bone Marrow Transplant.* 2015; 50: 870-872.

Sugizaki Y, Tanaka H, Imanishi J, Konishi A, Yamashita T, Shinke T, Ishida T, Kawai H, Hirata K. Isolated primary cardiac sarcoidosis presenting as acute heart failure. *Intern Med.* 2013; 52: 71-74.