

## 心不全グループ 英文論文

### 2021年

1. Yoshigai Y, Matsumoto K, Suto M, Nakai H, Hirata K. Massive regurgitant jet through the “entry” and out of the “re-entry” of a dissected left atrial wall: An extremely rare case of mitral regurgitation after prosthetic valve replacement. *Eur Heart J Cardiovasc Img* (In Press).
2. Suzuki M, Matsumoto K, Tanaka Y, Yamashita K, Shono A, Sumimoto K, Shibata N, Yokota S, Suto M, Dokuni K, Tanaka H, Otake H, Hirata K. Preoperative coupling between right ventricle and pulmonary vasculature is an important determinant of residual symptoms after the closure of atrial septal defect. *Int J Cardiovasc Img*. (In Press).
3. Shono A, Matsumoto K, Yamada N, Kusunose K, Suzuki M, Sumimoto K, Tanaka Y, Yamashita K, Shibata N, Yokota S, Suto M, Dokuni K, Tanaka H, Hirata K. “Accelerated aging” of the heart as heart failure with preserved ejection fraction～ Analysis using leg-positive pressure stress echocardiography”. *Int J Cardiovasc Img*. (In Press).
4. Tanaka Y, Tanaka H, Hatazawa K, Yamashita K, Sumimoto K, Shono A, Suzuki M, Yokota S, Suto M, Mukai J, Takada H, Matsumoto K, Minami H, Hirata K. Effect of hypertension on the optimal anthracycline cumulative dose for developing left ventricular dysfunction in patients with malignant lymphoma. *Int J Cardiovasc Img*. (In Press).
5. Shibata N, Matsumoto K, Shono A, Suzuki M, Sumimoto K, Tanaka Y, Yamashita K, Yokota S, Suto M, Dokuni K, Tanaka H, Hirata K. Easy-to-use preload stress echocardiography by using combined dynamic postural stress can identify high-risk patients with heart failure with reduced ejection fraction. *ESC Heart Fail*. (In Press).
6. Soga F, Tanaka H, Tatsumi K, Mochizuki Y, Sano H, Toki H, Matsumoto K, Shite J, Takaoka H, Doi T, Hirata K. Impact of Dapagliflozin on Left Ventricular Diastolic Function in Diabetic Patients with Heart Failure Complicating Cardiovascular Risk Factors. *Intern Med*. (In Press).
7. Yamashita K, Tanaka H, Komatsu M, Hirata K. Isolated Right Ventricular Apical Hypertrophy. *Intern Med*. (In Press).
8. Suzuki M, Tanaka H, Yokota S, Hara T, Ueda Y, Hirata K. Multiple cardiac

- complications associated with collagen disease. *J Echocardiogr.* (In Press).
9. Suto M, Matsumoto K, Hirata K. "Strange quadruple rhythm" ~Listen to the writing on the heart wall~. *Eur Heart J.* (In Press).
  10. Tanaka H. Efficacy of echocardiography for differential diagnosis of left ventricular hypertrophy -special focus on speckle-tracking longitudinal strain-. *J Echocardiogr.* 2021;19:71-79.
  11. Yamauchi Y, Tanaka H, Yokota S, Mochizuki Y, Yoshigai Y, Shiraki H, Yamashita K, Tanaka Y, Shono A, Suzuki M, Sumimoto K, Matsumoto K, Hirota Y, Ogawa W, Hirata K. Effect of Heart Rate on Left Ventricular Longitudinal Myocardial Function in Type 2 Diabetes Mellitus. *Cardiovasc Diabetol.* 2021;20:87.
  12. Tanaka H, Yamauchi Y, Imanishi T, Hatani Y, Hayashi T, Hirata K. Effect of Ivabradine on Left Ventricular Diastolic Function of Patients with Heart Failure with Preserved Ejection Fraction -IVA-PEF Study-. *J Cardiol.* 2021;77:641-644.
  13. Yokota S, Matsumoto K, Tanaka H, Nakai H, Okada K, Hirata K. "The mitral Ebstein's anomaly" modified with a scarred rhabdomyoma in tuberous sclerosis: An extremely rare cause of mitral insufficiency. *Intern Med.* 2021;60:1225-1229.
  14. Tanaka H, Tatsumi K, Matsuzoe H, Soga F, Matsumoto K, Hirata K. Association of type 2 diabetes mellitus with the development of new-onset atrial fibrillation in patients with non-ischemic dilated cardiomyopathy -Impact of SGLT2 inhibitors-. *Int J Cardiovasc Img.* 2021;37:1333-1341.
  15. Yamashita K, Tanaka H, Hatazawa K, Tanaka Y, Sumimoto K, Shono A, Suzuki M, Yokota S, Suto M, Mukai J, Takada H, Matsumoto K, Minami H, Hirata K. Association between clinical risk factors and left ventricular function in patients with breast cancer following chemotherapy. *Int J Cardiovasc Img.* 2021; 37: 197-205.
  16. Tanaka Y, Tanaka H, Hatazawa K, Yamashita K, Sumimoto K, Shono A, Suzuki M, Yokota S, Suto M, Mukai J, Takada H, Matsumoto K, Minami H, Hirata K. Impact of hypertension on left ventricular function in patients after anthracycline chemotherapy for malignant lymphoma. *Int J Cardiol.* 2021;323:126-132.

## 2020 年

1. Sumimoto K, Tanaka H, Mukai J, Yamashita K, Tanaka Y, Shono A, Suzuki M, Yokota S, Matsumoto K, Taniguchi Y, Emoto N, Hirata K. Optimal Cutoff of Tricuspid Regurgitation Velocity According to the New Definition of Pulmonary Hypertension: Its use for Predicting Pulmonary Hypertension. *Circ Rep.* 2020;10:

625-629.

2. Tanaka H, Tatsumi K, Matsuzoe H, Matsumoto K, Hirata K. Impact of Diabetes Mellitus on Left Ventricular Longitudinal Function of Patients with Non-Ischemic Dilated Cardiomyopathy. *Cardiovasc Diabetol.* 2020;19:84.
3. Mukai M, Tanaka H, Sano H, Yokota S, Suto M, Takada H, Soga F, Hatani Y, Matsuzoe H, Hatazawa K, Matsumoto K, Nakayama K, Emoto N, Hirata K. Associations between functional tricuspid regurgitation and long-term outcomes for patients with pulmonary hypertension. *Int J Cardiovasc Img.* 2020;36:1261-1269.
4. Suto M, Matsumoto K, Tanaka H, Hirata K. Severe pulmonary regurgitation mimicking constrictive pericarditis: A case report ~ The sac or the content? That is the question. *Eur Heart J Case Rep.* 2020;4:1-5.
5. Dokuni K, Matsumoto K, Tatsumi K, Suto M, Tanaka H, Fukuzawa K, Hirata K. Cardiac resynchronization therapy improves left atrial reservoir function through resynchronization of the left atrium in patients with heart failure with reduced ejection fraction. *Int J Cardiovasc Img.* 2020;36:1203-1212.
6. Suto M, Matsumoto K, Onishi A, Shibata N, Yokota S, Mukai J, Hisamatsu E, Takada H, Dokuni K, Hatazawa K, Tanaka H, Hirata K. Non-invasive leg-positive pressure stress echocardiography reveals the preload reserve in adult patients after complete repair of tetralogy of Fallot. *J Am Soc Echocardiogr.* 2020;33:858-867.
7. Sumimoto K, Tanaka H, Mukai J, Yamashita K, Tanaka Y, Shono A, Suzuki M, Yokota S, Suto M, Takada H, Matsumoto K, Taniguchi Y, Emoto N, Hirata K. Effects of balloon pulmonary angioplasty for chronic thromboembolic pulmonary hypertension on remodeling in right-sided heart. *Int J Cardiovasc Img.* 2020;36:1053-1060.
8. Suzuki M, Matsumoto K, Suto M, Taniguti Y, Tanaka H, Otake H, Shinke T, Hirata K. Transcatheter atrial septal defect closure in 'nonagenarian' with intractable heart failure: a case report. *Intern Med.* 2020;59:1059-1063.
9. Tanaka H, Soga F, Tatsumi K, Mochizuki Y, Sano H, Toki H, Matsumoto K, Shite J, Takaoka H, Doi T, Hirata K. Positive Effect of Dapagliflozin on Left Ventricular Longitudinal Function for Type 2 Diabetic Mellitus Patients with Chronic Heart Failure. *Cardiovasc Diabetol.* 2020;19:6.
10. Hatani Y, Tanaka H, Mochizuki Y, Suto M, Yokota S, Mukai J, Takada H, Soga F, Hatazawa K, Matsuzoe H, Matsumoto K, Hirota Y, Ogawa W, Hirata K. Association of body fat mass with left ventricular longitudinal myocardial systolic function in type 2 diabetes mellitus. *J Cardiol.* 2020;75:189-195.

## 2019 年

1. Sumimoto K, Matsumoto K, Izawa Y, Mori S, Tanaka H, Hirata KI. “An imprisoned heart” arrested by pillory of calcified ring surrounding both ventricles: An extremely rare case of constrictive pericarditis”. *Echocardiography*. 2019;36:2265-2267.
2. Shono A, Mori S, Nakamura K, Yatomi A, Takada H, Tanaka H, Okano T, Morinobu A, Hirata K. Glucocorticoid-Sensitive Paroxysmal Atrial Fibrillation, Sick Sinus Syndrome, and Mitral Regurgitation in a Patient with Malignant Rheumatoid Vasculitis. *Intern Med*. 2019;58:3093-3098.
3. Yokota S, Tanaka H, Mochizuki Y, Soga F, Yamashita K, Tanaka Y, Shono A, Suzuki M, Sumimoto K, Mukai J, Suto M, Takada H, Matsumoto K, Hirota Y, Ogawa W, Hirata K. Association of glycemic variability with left ventricular diastolic function in type 2 diabetes mellitus. *Cardiovasc Diabetol*. 2019;18:166.
4. Takada H, Tanaka H, Yokota S, Mukai J, Suto M, Soga F, Hatani Y, Matsuzoe H, Hatazawa K, Matsumoto K, Fukuzawa K, Hirata K. Association of Relatively Short Posterior Mitral Leaflet with Mitral Regurgitation in Patients with Atrial Fibrillation. *Circ J*. 2019;83:2312-2319.
5. Shono A, Mori S, Yatomi A, Kamio T, Sakai J, Soga F, Tanaka H, Hirata K. Ultimate Third Heart Sound. *Intern Med*. 2019;58:2535-2538.
6. Tanaka H. Echocardiography and cancer therapeutics-related cardiac dysfunction. *J Med Ultrason*. 2019;46:309-316.
7. Suto M, Matsumoto K, Kido S, Mori S, Nakayama K, Tanaka H, Inoue T, Emoto N, Okita Y, Hirata K. A case report of advanced pulmonary hypertension due to congenital double-shunt successfully treated with surgical repair and up-front combination therapy. *Intern Med*. 2019;58:1301-1305.
8. Soga F, Tanaka H, Mochizuki Y, Mukai J, Suto M, Takada H, Hatani Y, Matsuzoe H, Hatazawa K, Sano H, Ooka J, Shimoura H, Matsumoto K, Fukuzawa K, Hirata H. Combined Assessment of Left Atrial Volume Parameters for Predicting Recurrence of Atrial Fibrillation Following Pulmonary Vein Isolation in Patients with Paroxysmal Atrial Fibrillation. *Echocardiography*. 2019;36:862-869.
9. Tanaka H. Utility of strain imaging in conjunction with heart failure stage classification for heart failure patient management. *J Echocardiogr*. 2019;17:17-24.

## 2018 年

1. Sano H, Tanaka H, Motoji Y, Mukai J, Suto M, Takada H, Soga F, Hatani Y, Matsuzoe H, Hatazawa K, Shimoura H, Ooka J, Nakayama K, Matsumoto K, Yamada H, Emoto N, Hirata K. Echocardiography during Preload Stress for Evaluation of Right Ventricular Contractile Reserve and Exercise Capacity in Pulmonary Hypertension. *Echocardiography*. 2018;35:1997-2004.
2. Soga F, Tanaka H, Tatsumi K, Mochizuki Y, Sano H, Toki H, Matsumoto K, Shite J, Takaoka H, Doi F, Hirata K. Impact of Dapagliflozin on Left Ventricular Diastolic Function of Patients with Type 2 Diabetic Mellitus with Chronic Heart Failure. *Cardiovasc Diabetol*. 2018;17:132.
3. Hatazawa K, Tanaka H, Nonaka A, Takada H, Soga F, Hatani Y, Matsuzoe H, Shimoura H, Ooka J, Sano H, Mochizuki Y, Matsumoto K, Hirata K. Baseline Global Longitudinal Strain as a Predictor of Left Ventricular Dysfunction and Hospitalization for Heart Failure of Patients with Malignant Lymphoma after Anthracycline Therapy. *Circ J*. 2018; 82: 2566-2574.
4. Hatani Y, Tanaka H, Kajiura A, Tsuda D, Matsuoka Y, Kawamori H, Soga F, Matsumoto K, Inoue T, Okita Y, Hirata K. Sudden Onset of Platypnea-Orthodeoxia Syndrome Caused by Traumatic Tricuspid Regurgitation with Ruptured Chordae Tendineae after Blunt Chest Trauma. *Can J Cardiol*. 2018;34:1088.e11-1088.e13.
5. Shibata N, Matsumoto K, Kitamura S, Sakashita A, Kizawa Y, Hirata K. Nonbacterial Thrombotic Endocarditis Concomitant with Repeated Systemic Embolization That Received Palliative Care Based on the Antemortem Diagnosis. *Intern Med*. 2018;57:3559-3563.
6. Matsuzoe H, Tanaka H, Hatazawa K, Hatani Y, Matsumoto K, Shinke T, Hirata K. Transcatheter Closure for Residual Atrial Septal Defect Resulting from Surgical Patch Closure 44 Years Previously. *J Echocardiogr*. 2018;16:150-151.
7. Matsumoto M, Onishi A, Yamada H, Kusunose K, Suto M, Hatani Y, Matsuzoe H, Tatsumi K, Tanaka H, Hirata K. Non-invasive Assessment of Preload Reserve Enhances Risk Stratification of Patients with Heart Failure with Reduced Ejection Fraction. *Circ Cardiovasc Imaging*. 2018;11:e007160.
8. Tanaka H. Future Perspectives for Management of Stage A Heart Failure. *J Atheroscler Thromb*. 2018; 25: 557-565.
9. Tanaka H, Hirata K. Potential impact of SGLT2 inhibitors on left ventricular diastolic function in patients with diabetes mellitus. *Heart Fail Rev*. 2018;23:439-444.
10. Oki T, Tanaka H, Imanishi T, Nakamachi Y, Saegusa J, Kawano S, Hirata K, Nishimura Y. Associations between left ventricular diastolic function and right

ventricular function in patients with and without preserved left ventricular ejection fraction. *J Echocardiogr.* 2018;16:81-86.

11. Hatani Y, Tanaka H, Mochizuki Y, Hatazawa K, Matsuzoe H, Shimoura H, Ooka J, Sano H, Sawa T, Motoji Y, Ryo-Koriyama K, Matsumoto K, Otake H, Shinke T, Hirata K. Left Ventricular Dispersion as a Parameter for Augmented Left Ventricular Stroke Volume in Patients with Atrial Septal Defect Following Transcatheter Closure. *Echocardiography.* 2018;35:218-226.
12. Shibata N, Matsumoto K, Toba T, Mori S, Shimoyama S, Tanaka H, Shinke T, Hirata K. The First Case of "Locked-in Leaflet" after Transcatheter Aortic Valve Replacement in a Patient with Bicuspid Aortic Stenosis. *Echocardiography.* 2018;35:110-113.

### 2017 年

1. Suto M, Tanaka H, Mochizuki Y, Mukai J, Takada H, Soga F, Dokuni K, Hatani Y, Hatazawa K, Matsuzoe H, Sano H, Shimoura H, Ooka J, Matsumoto K, Hirota Y, Ogawa W, Hirata K. Impact of Overweight on Left Ventricular Function in Type 2 Diabetes Mellitus. *Cardiovasc Diabetol.* 2017;16:145.
2. Matsuzoe H, Matsumoto K, Mori S, Toba H, Kawamori H, Shimoyama S, Tanaka H, Shinke T, Hirata K. A rare case of "sub-commissural adhesive aortic stenosis. *Echocardiography.* 2017;37:1717-1720.
3. Suto M, Mori S, Nishi T, Izawa Y, Shimoyama S, Konishi H, Matsumoto K, Tanaka H, Hirata K. Rivero-Carvalho's sign confirmed by blood flow analysis using cardiac magnetic resonance imaging in a patient with straight back syndrome. *Echocardiography.* 2017;37:1721-1724.
4. Mochizuki Y, Tanaka H, Matsumoto K, Sano H, Shimoura H, Ooka J, Sawa T, Motoji Y, Ryo-Koriyama K, Hirota Y, Ogawa W, Hirata K. Impact of left ventricular longitudinal functional mechanics on the progression of diastolic function in diabetes mellitus. *Int J Cardiovasc Imaging.* 2017;33:1905-1914.
5. Matsuzoe H, Matsumoto K, Tanaka H, Hatani Y, Hatazawa K, Shimoura H, Ooka J, Sano H, Ryo-Koriyama K, Shinke T, Yamada H, Okita Y, Hirata K. Significant prognostic value of acute preload stress echocardiography using leg-positive pressure maneuver for patients with symptomatic severe aortic stenosis awaiting aortic valve intervention. *Circ J.* 2017;81:1927-1935.
6. Ooka J, Tanaka H, Hatani Y, Hatazawa K, Matsuzoe H, Shimoura H, Sano H, Sawa Y, Motoji Y, Mochizuki Y, Ryo-Koriyama K, Matsumoto K, Fukuzawa K, Hirata K.

Risk Stratification of Future Left Ventricular Dysfunction for Patients with Indications for Right Ventricular Pacing Due to Bradycardia. *Int Heart J.* 2017;58:724-730.

7. Ooka J, Tanaka H, Hatani Y, Tsuji Y, Takeshige R, Mori S, Matsumoto K, Hara S, Tanaka H, Okita Y, Hirata H. Treatment of Fulminant Giant Cell Myocarditis Associated with Polymyositis Using Left Ventricular Assist Device and Subsequent Corticosteroid and Immunosuppressive Therapy Leads to Remission. *Intern Med.* 2017;56:2155-2158.
8. Fukuda Y, Onishi T, Suzuki A, Tanaka H, Fukuzawa K, Yoshida A, Kawai H, Hirata K. Follow-up of Cardiac Fabry Disease Treated by Cardiac Resynchronization Therapy. *CASE.* 2017;1:134-137.
9. Shimoura H, Tanaka H, Matsumoto K, Mochizuki Y, Hatani Y, Hatazawa K, Matsuzoe H, Ooka J, Sano H, Sawa T, Motoji Y, Ryo-Koriyama K, Hirata K. Effects of a changeover from other angiotensin II receptor blockers to olmesartan on left ventricular hypertrophy in heart failure patients. *Heart Vessels.* 2017; 32: 584-590.
10. Sano H, Tanaka H, Motoji Y, Fukuda Y, Mochizuki Y, Hatani Y, Matsuzoe H, Hatazawa K, Shimoura H, Ooka J, Ryo-Koriyama K, Nakayama K, Matsumoto K, Emoto N, Hirata K. Right ventricular relative wall thickness as a predictor of outcomes and of right ventricular reverse remodeling for patients with pulmonary hypertension. *Int J Cardiovasc Imaging.* 2017; 33: 313-321.

## 2016 年

1. Matsumoto K, Tanaka H, Ooka J, Motoji Y, Sawa Y, Mochizuki Y, Ryo K, Tatsumi K, Hirata K. Significant prognostic impact of improvement in ventriculo-arterial coupling induced by dobutamine stress on cardiovascular outcome for patients with dilated cardiomyopathy. *Eur Heart J Cardiovasc Imaging.* 2016;17:1296-1304.
2. Mochizuki Y, Tanaka H, Matsumoto K, Sano H, Shimoura H, Ooka J, Sawa Y, Ryo-Koriyama K, Hirota Y, Ogawa W, Hirata K. Impaired Mechanics on Left Ventriculo-Atrial Coupling in Patients with Diabetic Nephropathy. *Circ J.* 2016;80:1957-1964.
3. Yamamoto T, Tanaka H, Kurimoto C, Imanishi T, Hayashi N, Saegusa J, Morinobu A, Hirata K, Kawano S. Very early stage left ventricular endocardial dysfunction of patients with hypereosinophilic syndrome. *Int J Cardiovasc Imaging.* 2016;32:1357-1361.

4. Fukuda Y, Tanaka H, Ryo-Koriyama K, Motoji Y, Sano H, Shimoura H, Ooka J, Toki H, Sawa T, Mochizuki Y, Matsumoto K, Emoto N, Hirata K. Comprehensive Functional Assessment of Right-Sided Heart Using Speckle-Tracking Strain for Patients with Pulmonary Hypertension. *Echocardiography*. 2016;33:1001-8.
5. Tanaka H, Hirata K. Is Speckle Tracking Actually Helpful for Cardiac Resynchronization Therapy? *J Echocardiogr*. 2016;14: 53-60.
6. Keiko Ryo-Koriyama, Matsumoto K, Tanaka H, Nishii T, Hirata K. A Rare Case of Double-Chambered Right Ventricle Apparent on the Compression by both Pectus Excavatum and Straight Back Syndrome. *Eur Heart J Cardiovasc Imaging*. 2016;17:706.
7. Matsuzoe H, Tanaka H, Matsumoto K, Toki H, Shimoura H, Ooka J, Sano H, Sawa T, Motoji Y, Mochizuki Y, Ryo K, Fukuzawa K, Yoshida A, Hirata K. Left ventricular dyssynergy and dispersion as determinant factors of fatal ventricular arrhythmias in patients with mildly reduced ejection fraction. *Eur Heart J Cardiovasc Imaging*. 2016;17:334-42.
8. Motoji Y, Tanaka H, Fukuda Y, Sano H, Ryo K, Sawa T, Miyoshi T, Imanishi J, Mochizuki Y, Tatsumi K, Matsumoto K, Emoto N, Hirata K. Association of apical longitudinal rotation with right ventricular performance in patients with pulmonary hypertension: Insights into overestimation of tricuspid annular plane systolic excursion. *Echocardiography*. 2016;33:207-15.
9. Sawa T, Tanaka H, Motoji Y, Hiraishi M, Mochizuki Y, Ryo K, Matsumoto K, Otake H, Shinke T, Hirata K. Utility of Isovolumic Contraction Peak Velocity for Evaluation of Adult Patient Status after Transcatheter Closure of Atrial Septal Defect. *Echocardiography*. 2016;33:23-9.

## 2015 年

1. Hiraishi M, Tanaka H, Motoji Y, Sawa T, Tsuji T, Miyoshi T, Imanishi J, Kaneko A, Matsumoto K, Shinke T, Hirata K. Impact of Right Ventricular Geometry on Mitral Regurgitation after Transcatheter Closure of Atrial Septal Defect. *Int Heart J*. 2015;56:516-21.
2. Matsumoto K, Tanaka H, Onishi A, Motoji Y, Tatsumi K, Sawa T, Miyoshi T, Imanishi J, Mochizuki Y, Hirata K. Bi-ventricular contractile reserve offers an incremental prognostic value for patients with dilated cardiomyopathy. *Eur Heart J Cardiovasc Imaging*. 2015;16:1213-23..
3. Yamamoto T, Tanaka H, Takeshima Y, Hayashi N, Hirata K, Kawano S. Combining



passive leg-lifting with transmural myocardial strain profile for enhanced predictive capability for subclinical left ventricular dysfunction in Duchenne muscular dystrophy. *J Cardiol.* 2015;66:212-7..

4. Mochizuki Y, Tanaka H, Matsumoto K, Sano H, Toki H, Shimoura H, Ooka J, Sawa T, Motoji Y, Ryo K, Hirota Y, Ogawa W, Hirata K. Association of Peripheral Nerve Conduction in Diabetic Neuropathy with Subclinical Left Ventricular Systolic Dysfunction. *Cardiovasc Diabetol.* 2015;14:47.
5. Mochizuki Y, Tanaka H, Matsumoto K, Sano H, Toki H, Shimoura H, Ooka J, Sawa T, Motoji Y, Ryo K, Hirota Y, Ogawa W, Hirata K. Clinical features of subclinical left ventricular systolic dysfunction in patients with diabetes mellitus. *Cardiovasc Diabetol.* 2015;14:37.
6. Imanishi J, Tanaka H, Sawa T, Motoji Y, Miyoshi T, Mochizuki Y, Fukuda Y, Tatsumi K, Matsumoto K, Okita Y, Hirata K. Association of Left Atrial Booster-pump Function with Heart Failure Symptoms in Patients with Severe Aortic Stenosis and Preserved Left Ventricular Ejection Fraction. *Echocardiography.* 2015;32:758-67.
7. Mochizuki Y, Tanaka H, Morinaga Y, Okita Y, Hirata K. Infective endarteritis associated with aortic dissection underlying bacterial meningitis. *Eur Heart J.* 2015;36:471.
8. Dokuni K, Matsumoto K, Tanaka H, Okita Y, Hirata K. A case of non-infective endocarditis accompanied by multiple cerebral infarction and severe mitral regurgitation as initial presentation of primary antiphospholipid syndrome. *Eur Heart J Cardiovasc Imaging.* 2015;16:572.
9. Motoji Y, Tanaka H, Fukuda Y, Sano H, Ryo K, Imanishi J, Miyoshi T, Sawa T, Mochizuki Y, Matsumoto K, Emoto N, Hirata K. Interdependence of right ventricular systolic function and left ventricular filling and its association with outcome for patients with pulmonary hypertension. *Int J Cardiovasc Imaging.* 2015;31:691-698.
10. Sano H, Tanaka H, Motoji Y, Fukuda Y, Sawa T, Mochizuki Y, Ryo K, Matsumoto K, Emoto N, Hirata K. Right Ventricular Function and Right-Heart Echocardiographic Response to Therapy Predict Long-term Outcome in Patients with Pulmonary Hypertension. *Can J Cardiol.* 2015;31:529-536.
11. Mochizuki Y, Tanaka H, Morinaga Y, Okita Y, Hirata K. Infective endarteritis associated with aortic dissection underlying bacterial meningitis. *Eur Heart J.* 2015;36:471.

## 2014 年

1. Tatsumi K, Tanaka H, Matsumoto K, Sawa T, Miyoshi T, Imanishi J, Motoji Y, Mochizuki Y, Fukuda Y, Shinke T, Hirata K. Global Endocardial Area Change Rate for the Assessment of Left Ventricular Relaxation and Filling Pressure : Using Three-dimensional Speckle-tracking Study. *Int J Cardiovasc Imaging*. 2014;30:1473-81.
2. Tanaka H, Matsumoto K, Sawa T, Miyoshi T, Motoji Y, Imanishi J, Mochizuki Y, Tatsumi K, Hirata H. Evaluation of global circumferential strain as prognostic marker after administration of  $\beta$ -blockers for dilated cardiomyopathy. *Int J Cardiovasc Imaging*. 2014;30:1279-1287.
3. Mochizuki Y, Tanaka H, Fukuda Y, Hirata K. An Uncommon Case of Isolated Parachute-Like Asymmetric Mitral Valve in An Adult. *J Heart Valve Dis*. 2014;23:651-3.
4. Fukuda Y, Tanaka H, Motoji Y, Ryo K, Sawa T, Imanishi J, Miyoshi T, Mochizuki Y, Tatsumi T, Matsumoto K, Shinke T, Emoto N, Hirata K. Utility of combining assessment of right ventricular function and right atrial remodeling as a prognostic factor for patients with pulmonary hypertension. *Int J Cardiovasc Imaging*. 2014;30:1269-1277.
5. Mochizuki Y, Tanaka H, Tatsumi K, Matsumoto K, Imanishi J, Yoshida A, Yokoyama M, Kawai H, Hirata K. Easy-to-Use Comprehensive Speckle Tracking Approach for Cardiac Resynchronization Therapy. *Circ J*. 2014;76:2250-2258.
6. Miyoshi T, Tanaka H, Kaneko A, Tatsumi K, Matsumoto K, Minami H, Kawai H, Hirata K. Left Ventricular Endocardial Dysfunction in Patients with Preserved Ejection Fraction after Receiving Anthracycline. *Echocardiography*. 2014;31:848-57.
7. Tatsumi K, Tanaka H, Matsumoto K, Miyoshi T, Hiraishi M, Tsuji T, Kaneko A, Ryo K, Fukuda Y, Norisada K, Onishi T, Yoshida A, Kawai H, Hirata K. Combined Baseline Strain Dyssynchrony Index and Its Acute Reduction Predicts Mid-Term Left Ventricular Reverse-Remodeling and Long-Term Outcome after Cardiac Resynchronization Therapy. *Echocardiography*. 2014;31:464-473.
8. Matsumoto K, Tanaka H, Imanishi J, Tatsumi K, Motoji Y, Miyoshi T, Onishi T, Kawai H, Hirata K. Preliminary Observations of Prognostic Value of Left Atrial Functional Reserve during Dobutamine Infusion in Patients with Dilated Cardiomyopathy. *J Am Soc Echocardiogr*. 2014;27:430-9.
9. Imanishi J, Tanaka H, Sawa T, Motoji Y, Miyoshi T, Mochizuki Y, Fukuda Y,

Tatsumi K, Matsumoto K, Okita Y, Hirata K. Left atrial booster-pump function as a predictive parameter for new-onset postoperative atrial fibrillation in patients with severe aortic stenosis. *Int J Cardiovasc Imaging*, 2014;30:295-304.

### 2013 年

1. Hayashi M, Tanaka H, Yamamoto T, Lee T, Awano H, Yagi M, Imanishi T, Hayashi N, Takeshima Y, Kawai H, Hirata K, Kawano S. Rapid Progression of Neuromuscular Disorder Related Cardiomyopathy in a Young Patient. *Intern Med*. 2013;52:2771-5.
2. Sawa T, Tanaka H, Matsumoto K, Hirata K. Aortic and Mitral Regurgitation Associated with Behcet's Disease. *Intern Med*. 2013;52:2473.
3. Tanaka H, Tatsumi K, Matsumoto K, Kawai H, Hirata K. Emerging Role of Three Dimensional Speckle Tracking Strain for Accurate Quantification of Left Ventricular Dyssynchrony. *Echocardiography*. 2013;30:E292-E295.
4. Matsumoto K, Tanaka H, Miyoshi M, Hiraishi M, Kaneko A, Fukuda Y, Tatsumi K, Kawai H, Hirata K. Dynamic Left Ventricular Dyssynchrony Assessed by Three-Dimensional Speckle-Tracking Area Strain during Dobutamine Stress Has a Negative Impact on Cardiovascular Events in Patients with Idiopathic Dilated Cardiomyopathy. *Circ J*. 2013;77:1750-1759.
5. Kaneko A, Tanaka H, Onishi T, Ryo K, Matsumoto K, Okita Y, Kawai H, Hirata K. Subendocardial dysfunction in patients with chronic severe aortic regurgitation and preserved ejection fraction detected with speckle-tracking strain imaging and transmural myocardial strain profile. *Eur Heart J Cardiovasc Imaging*. 2013;14:339-346.
6. Yamamoto T, Tanaka H, Matsumoto K, Lee T, Awano H, Yagi M, Imanishi T, Hayashi N, Takeshima Y, Kawai H, Kawano S, Hirata K. Utility of Transmural Myocardial Strain Profile for Prediction of Early Left Ventricular Dysfunction in Patients with Duchenne Muscular Dystrophy. *Am J Cardiol*. 2013;111:902-907.
7. Tatsumi K, Tanaka H, Kataoka T, Norisada K, Onishi T, Kawai H, Hirata K. Impact of Preserved Myocardial Contractile Function in the Segments Attached to the Papillary Muscles on Reduction in Functional Mitral Regurgitation. *Echocardiography*. 2013;30:147-154.
8. Motoji Y, Tanaka H, Fukuda Y, Ryo K, Emoto N, Kawai H, Hirata K. Efficacy of Right Ventricular Free Wall Longitudinal Speckle-Tracking Strain for Predicting Long-Term Outcome for Patients with Pulmonary Hypertension. *Circ J*.

2013;77:756-763.

9. Tsuji T, Tanaka H, Matsumoto K, Miyoshi T, Hiraishi M, Kaneko A, Ryo K, Fukuda Y, Tatsumi K, Onishi T, Kawai H, Hirata K. Capability of Three-Dimensional Speckle Tracking Radial Strain for Identification of Patients with Cardiac Sarcoidosis. *Int J Cardiovasc Imaging*. 2013;29:317–324.

## 2012 年

1. Matsumoto K, Tanaka H, Kaneko A, Ryo K, Fukuda Y, Tatsumi K, Kawai H, Hirata K. Contractile Reserve Assessed by Three-Dimensional Global Circumferential Strain as a Predictor of Cardiovascular Events in Patients with Idiopathic Dilated Cardiomyopathy. *J Am Soc Echocardiogr*. 2012;25:1299-1308.
2. Imanishi J, Tanaka H, Matsumoto K, Tatsumi K, Miyoshi T, Hiraishi M, Kaneko A, Ryo K, Fukuda Y, Yoshida K, Yokoyama M, Kawai H, Hirata K. Utility of Combined Assessment of Baseline Dyssynchrony and Its Acute Improvement to Predict Long-Term Outcome Following Cardiac Resynchronization Therapy. *Am J Cardiol*. 2012;110:1814-1819.
3. Matsumoto K, Tanaka H, Tatsumi K, Kaneko A, Tsuji T, Ryo K, Kawai H, Hirata K. Regional Heterogeneity of Systolic Dysfunction is Associated to Ventricular Dyssynchrony in Patients with Idiopathic Dilated Cardiomyopathy and Narrow QRS Complex. *Echocardiography*. 2012;10:1201-1210.
4. Tanaka H, Matsumoto K, Hiraishi M, Miyoshi T, Kaneko A, Tsuji T, Ryo K, Fukuda Y, Tatsumi K, Yoshida A, Kawai H, Hirata K. Multidirectional left ventricular performance detected with three-dimensional speckle-tracking strain in patients with chronic right ventricular pacing and preserved ejection fraction. *Eur Heart J Cardiovasc Imaging*. 2012;13:849-856.
5. Matsumoto K, Tanaka H, Yamana S, Kaneko A, Tsuji T, Ryo K, Sekiguchi K, Kawakami F, Kawai H, Hirata K. Successful Steroid Therapy for Heart Failure due to Myocarditis Associated with Primary Biliary Cirrhosis. *Can J Cardiol*. 2012;28:515.e3-6.
6. Okada M, Tanaka H, Matsumoto K, Ryo K, Kawai H, Hirata K. Subclinical Myocardial Dysfunction in Patients with Reverse-Remodeled Dilated Cardiomyopathy. *J Am Soc Echocardiogr*. 2012;25:726-732.
7. Tanaka H, Matsumoto M, Kawai H, Hirata K. Multiple regions of coarctation of the aorta associated with bicuspid aortic valve in a 74-year-old female. *Eur Heart J Cardiovasc Imaging*. 2012;6:531.

8. Omar AMS, Tanaka H, Matsumoto K, Tatsumi K, Miyoshi T, Hiraishi M, Tsuji T, Kaneko A, Ryo K, Fukuda Y, Kawai H, Hirata K. Tissue Doppler Imaging-Derived Myocardial Acceleration during Isovolumetric Contraction Predicts Pulmonary Capillary Wedge Pressure in Patients with Reduced Ejection Fraction. *Circ J.* 2012;76:1399-1408.
9. Ryo K, Tanaka H, Kaneko A, Fukuda Y, Onishi T, Kawai K, Hirata K. Efficacy of Longitudinal Speckle Tracking Strain in Conjunction with Isometric Handgrip Stress Test for Detection of Ischemic Myocardial Segments. *Echocardiography.* 2012;29:411-418.
10. Matsumoto K, Tanaka H, Tatsumi K, Miyoshi T, Hiraishi M, Kaneko A, Tsuji T, Ryo K, Fukuda Y, Yoshida A, Kawai K, Hirata K. Left Ventricular Dyssynchrony Using Three-Dimensional Speckle-Tracking Imaging as a Determinant of Torsional Mechanics in Patients with Idiopathic Dilated Cardiomyopathy. *Am J Cardiol.* 2012;109:1197-1205.
11. Tatsumi K, Tanaka H, Matsumoto K, Kaneko A, Tsuji T, Ryo K, Fukuda Y, Norisada K, Onishi T, Yoshida A, Kawai H, Hirata K. Relation Between Strain Dyssynchrony Index Determined by Comprehensive Assessment Using Speckle-Tracking Imaging and Long-Term Outcome Following Cardiac Resynchronization Therapy for Patients with Heart Failure. *Am J Cardiol.* 2012;109:1187-1193.
12. Motoji Y, Tanaka H, Miyoshi T, Imanishi J, Hiraishi M, Tsuji T, Kaneko A, Ryo K, Fukuda Y, Tatsumi K, Matsumoto K, Kawai H, Hirata K. A case of transient myocardial dysfunction with electrocardiographic abnormality due to acute carbon monoxide poisoning. *J Echocardiogr.* 2012;10:35-37.
13. Yamawaki K, Tanaka H, Matsumoto K, Hiraishi M, Miyoshi T, Kaneko A, Tsuji T, Ryo K, Norisada K, Fukuda Y, Tatsumi K, Onishi T, Okada K, Okita Y, Kawai K, Hirata K. Impact of Left Ventricular Afterload on Longitudinal Dyssynchrony in Patients with Severe Aortic Stenosis and Preserved Ejection Fraction. *Circ J.* 2012;76:744-751.
14. Tanaka H, Tatsumi K, Fujiwara S, Tsuji T, Kaneko A, Ryo K, Fukuda Y, Matsumoto K, Shigeru M, Yoshida A, Kawai H, Hirata K. Impact of Left Ventricular Dyssynchrony on Cardiac Sympathetic Activity in Heart Failure Patients with Wide QRS Duration. *Circ J.* 2012;76:382-389.

**2011 年**

1. Matsumoto K, Tanaka H, Okajima K, Hayashi T, Kajiya T, Kawai H, Hirata K. Relationship between Left Ventricular Morphology and Reduction in Functional Mitral Regurgitation in Patients with Dilated Cardiomyopathy by Cardiac Resynchronization Therapy. *Am J Cardiol.* 2011;108:1327-1334.
2. Matsumoto K, Tanaka H, Okajima K, Hayashi T, Kajiya T, Sugiyama D, Kawai H, Hirata K. Reverse Remodeling Induces Progressive Ventricular Resynchronization after Cardiac Resynchronization Therapy ~from Vicious to Virtuous Cycle~. *Eur J Echocardiogr.* 2011;12:782-789.
3. Fukuda, Y, Tanaka H, Sugiyama D, Norisada K, Tatsumi K, Onishi T, Fukuya H, Nogami M, Ohno Y, Emoto N, Kawai H, Hirata K. Utility of Right Ventricular Free Wall Speckle Tracking Strain for Evaluation of Right Ventricular Performance in Patients with Pulmonary Hypertension. *J Am Soc Echocardiogr.* 2011;24:1101-1108.
4. Matsumoto K, Tanaka H, Hiraishi M, Miyoshi T, Tsuji T, Kaneko A, Ryo K, Yamawaki K, Fukuda Y, Norisada K, Tatsumi K, Okita Y, Kawai H, Hirata K. A case of unicommissural unicuspid aortic valve stenosis diagnosed by real-time three-dimensional transesophageal echocardiography. *Echocardiography.* 2011;28:E172-E173.
5. Tatsumi K, Tanaka H, Matsumoto K, Hiraishi M, Miyoshi T, Tsuji T, Kaneko A, Ryo K, Yamawaki K, Fukuda Y, Norisada K, Onishi T, Kawai H, Hirata K. Mechanical Left Ventricular Dyssynchrony in Heart Failure Patients with Narrow QRS Duration as Assessed by Three-Dimensional Speckle Area Tracking Strain. *Am J Cardiol.* 2011;108:867-872.
6. Omar AMS, Tanaka H, AbdelDayem TK, Sadek AS, Raslaan H, Al-Sherbiny A, Yamawaki K, Ryo K, Fukuda Y, Norisada K, Tatsumi K, Onishi T, Matsumoto K, Kawai K, Hirata K. Comparison of mitral valve area by pressure half-time and proximal isovelocity surface area method in patients with mitral stenosis: effect of net atrio-ventricular compliance. *Eur J Echocardiogr.* 2011;12:283-290.
7. Tatsumi K, Tanaka H, Tsuji T, Kaneko A, Yamawaki K, Ryo K, Omar A, Fukuda Y, Norisada K, Matsumoto K, Onishi T, Yoshida A, Kawai H, Hirata K. Strain dyssynchrony index determined by three-dimensional speckle area tracking can predict response to cardiac resynchronization therapy. *Cardiovasc Ultrasound.* 2011;9:11.
8. Norisada K, Tanaka H, Onishi T, Kaneko A, Tsuji T, Yamawaki K, Ryo K, Fukuda Y, Tatsumi K, Matsumoto K, Miura N, Saegusa J, Morinaga Y, Hara S, Kawai H, Hirata K. Nonbacterial thrombotic endocarditis associated with cancer of unknown

origin complicated with thrombus in the left auricular appendage: Case report. *Cardiovasc Ultrasound*. 2011;9:8.

9. Tanaka H, Hiraishi M, Miyoshi T, Tsuji T, Kaneko A, Ryo K, Yamawaki K, Tatsumi K, Matsumoto K, Kawai H, Hirata K. Exercise-induced left bundle branch block and subsequent mechanical left ventricular dyssynchrony -Resolved with pharmacological therapy-. *Cardiovasc Ultrasound*. 2011;9:4.
10. Tatsumi K, Tanaka H, Yamawaki K, Ryo K, Omar A, Fukuda Y, Norisada K, Matsumoto K, Onishi T, Gorcsan J, Yoshida A, Kawai K, Hirata K. Utility of comprehensive assessment of strain dyssynchrony index by speckle tracking imaging for predicting response to cardiac resynchronization therapy. *Am J Cardiol*. 2011;107:439-446.

### 2010 年

1. Tatsumi K, Kawai H, Sugiyama D, Norisada K, Kataoka T, Onishi T, Tanaka H, Hirata K. Dobutamine-induced improvement in inferior myocardial contractile function predicts reduction in functional mitral regurgitation: A study using tissue Doppler strain rate imaging. *Circ Cardiovasc Imaging*. 2010;3:638-646.
2. Onishi T, Kawai H, Tatsumi K, Kataoka T, Sugiyama D, Tanaka H, Okita Y, Hirata K. Preoperative systolic strain rate predicts postoperative left ventricular dysfunction in patients with chronic aortic regurgitation. *Circ Cardiovasc Imaging*. 2010;3:134-141.
3. Norisada K, Kawai H, Tanaka H, Tatsumi K, Onishi T, Fukuzawa K, Yoshida A, Hirata K. Myocardial contractile function in the region of the left ventricular pacing lead predicts the response to cardiac resynchronization therapy assessed by two-dimensional speckle tracking echocardiography. *J Am Soc Echocardiogr* 2010; 23: 181-189.
4. Yamamoto T, Onishi T, Kaneko A, Matsumoto K, Hayashi N, Kinoshita S, Kawano S, Kawai H, Hirata K, Kumagai S. Medical therapy alone produces regression of combined aortic and mitral valve involvement in hypereosinophilic syndrome. *Circulation*. 2010;122:e488-90.

### 2009 年

1. Tanaka H, Kawai H, Tatsumi K, Kataoka T, Onishi T, Yoshida A, Hirata K. Large response to cardiac resynchronization therapy in a patient with segmental

paradoxical systolic expansion identified by strain imaging. *Eur J Echocardiogr.* 2009;10:889-92.

2. Furuki M, Kawai H, Onishi T, Hirata K. Value of convex-type ST-segment elevation and abnormal Q waves for electrocardiographic-based identification of left ventricular remodeling in hypertrophic cardiomyopathy. *Kobe J Med Sci.* 2009;55:E16-29.

### 2007 年

1. Tanaka H, Kawai H, Ishida T, Yoshida A, Yokoyama M. Echocardiographic findings of intracardiac mass. *J Cardiol.* 2007; 50:155-7.
2. Tanaka H, Kawai H, Tatsumi K, Kataoka T, Onishi T, Yokoyama M, Okita Y. Accessory mitral valve associated with aortic and mitral regurgitation and left ventricular outflow tract obstruction in an elderly patient: a case report. *J Cardiol.* 2007;50:65-70.
3. Tanaka H, Kawai H, Tatsumi K, Kataoka T, Onishi T, Nose T, Mizoguchi T, Yokoyama M. Relationship between regional and global left ventricular systolic and diastolic function in patients with coronary artery disease assessed by strain rate imaging. *Circ J.* 2007;71:517-23.

### 2006 年

1. Tanaka H, Kawai H, Tatsumi K, Kataoka T, Onishi T, Nose T, Mizoguchi T, Yokoyama M. Improved Regional Myocardial Diastolic Function Assessed by Strain Rate Imaging in Patients with Coronary Artery Disease Undergoing Percutaneous Coronary Intervention. *J Am Soc Echocardiogr.* 2006; 19: 756-762.
2. Tanaka H, Kawai H, Tatsumi K, Kataoka T, Onishi T, Nose T, Mizoguchi T, Yokoyama M. Surgical Treatment for Löffler's Endocarditis with Left Ventricular Thrombus and Severe Mitral Regurgitation: A Case Report. *J Cardiol.* 2006;47:207-213.
3. Tanaka H, Kawai H, Tatsumi K, Kataoka T, Onishi T, Nose T, Mizoguchi T, Yokoyama M, Okita Y. Severe Regurgitation of the Left Atrioventricular Valve Associated With Corrected Transposition of the Great Arteries Treated by Valve Replacement. *J Echocardiogr.* 2006; 4: 34-36.