Publication

1. Nagashimada M, Ohta H, Li C, Nakao K, Uesaka T, Brunet J-F, Amiel J, Trochet D, Wakayama T, Enomoto H. Autonomic neurocristopathy-associated mutations in PHOX2B dysregulate Sox10 expression. ***Journal of Clinical Investigation***, 122(9), 3145-3158, 2012.

2. Nishiyama C, Uesaka T, Manabe T, Yonekura Y, Nagasawa T, Newgreen DF, Young HM, Enomoto H. Trans-mesenteric neural crest cells are the principal source for the colonic enteric nervous system. ***Nature Neuroscience***, 15(9), 1211-1218, 2012.

3. Iwano T, Masuda A, Kiyonari H, Enomoto H, Matsuzaki F. Prox1 postmitotically defines dentate gyrus cells by specifying granule cell identity over CA3 pyramidal cell fate in the hippocampus. ***Development***, 139(16), 3051-3062, 2012.

4. Patel A, Harker N, Moreira-Santos L, Ferreira M, Alden K, Foster K, Garefalaki A, Pachnis P, Andrews P, Enomoto H, Milbrandt J, Pachnis V, Coles MC, Kioussis D, Veiga-Fernandes H. Differential RET signaling pathways drive development of the enteric lymphoid and nervous systems. ***Science Signaling***, 5(235), ra55, 2012.

5. Uesaka T, Enomoto H. Neural precursor death is central to the pathogenesis of intestinal aganglionosis in Ret hypomorphic mice. ***Journal of Neuroscience***, 30, 5211-5218, 2010.

6. Golden JP, Hoshi M, Nassar MA, Enomoto H, Wood JN, Milbrandt J, Gereau RW 4th, Johnson EM Jr, Jain S. RET signaling is required for survival and normal function of nonpeptidergic nociceptors. ***Journal of Neuroscience***, 30, 3983-3994, 2010.

7. Luo W, Enomoto H, Rice FL, Milbrandt J, Ginty DD. Molecular identification of rapidly adapting mechanoreceptors and their developmental dependence on Ret signaling. ***Neuron***, 64, 841-856, 2009.

8. Canty AJ, Dietze J, Harvey M, Enomoto H, Milbrandt J, Ibáñez CF. Regionalized loss of parvalbumin interneurons in the cerebral cortex of mice with deficits in GFRα1 signaling. ***Journal of Neuroscience***, 29, 10695-10705, 2009.

9. Chi X, Michos O, Shakya R, Riccio P, Enomoto H, Licht JD, Asai N, Takahashi M, Ohgami N, Kato M, Mendelsohn C, Costantini F. Ret-Dependent Cell Rearrangements in the Wolffian Duct Epithelium Initiate Ureteric Bud Morphogenesis. ***Developmental Cell***, 17,199-209, 2009.

10. Enomoto H. Death comes early: apoptosis observed in ENS precursors. ***Neurogastroenterology & Motility***, 21, 684-687, 2009. (Review)

11. Burzynski G, Shepherd IT, Enomoto H. Genetic model system studies of the development of the enteric nervous system, gut motility and Hirschsprung's disease. ***Neurogastroenterology & Motility***, 21, 113-127, 2009. (Review)

12. Gould TW, Enomoto H. Neurotrophic modulation of motor neuron development. ***The Neuroscientist***, 15, 105-116, 2009. (Review)

13. Callahan T, Young HM, Anderson RB, Enomoto H, Anderson CR. Development of satellite glia in mouse sympathetic ganglia: GDNF and GFRα1 are not essential. ***Glia***, 56, 1428-1437, 2008.

14. Uesaka T, Nagashimada M, Yonemura S, Enomoto, H. Diminished Ret expression compromises neuronal survival in the colon and causes intestinal aganglionosis in mice. ***Journal of Clinical Investigation***, 118, 1890-1898, 2008.

15. Gould TW, Yonemura S, Oppenheim RW, Ohmori S, Enomoto H. The neurotrophic effects of glial cell line-derived neurotrophic factor on spinal motoneurons are restricted to fusimotor subtypes. ***Journal of Neuroscience***, 28(9), 2131-2146, 2008.

16. Uesaka T, Jain S, Yonemura S, Uchiyama Y, Milbrandt,J, Enomoto H. Conditional ablation of GFRα1 in postmigratory enteric neurons triggers unconventional neuronal death in the colon and causes a Hirschsprung's disease phenotype. ***Development***, 134, 2171-2181, 2007.

17. Vohra, BPS, Tsuji K, Nagashimada M, Uesaka T, Wind D, Fu M, Armon J, Enomoto H, Heuckeroth RO. Differential gene expression and functional analysis implicate novel mechanisms in enteric nervous system precursor migration and neuritogenesis. ***Developmental Biology***, 298, 259-271, 2006.

18. Enomoto H. Regulation of neural developmental by glial cell line-derived neurotrophic factor family ligands. ***Anatomical Science International***, 80, 42-52, 2005. (Review)

19. Anderson RB, Enomoto, H, Bornstein JC, Young HM. The enteric nervous system is not essential for the propulsion of gut contents in fetal mice. ***Gut*** 53, 1546-1547, 2004.

20. Enomoto H, Hughes I, Golden J, Baloh RH, Yonemura S, Heuckeroth RO, Johnson EM Jr, Milbrandt J. GFRα1 expression in cells lacking RET is dispensable for organogenesis and nerve regeneration. ***Neuron***, 44, 623-636, 2004.

21. Crower RJ, Enomoto H, Yang M, Johnson EM Jr, Milbrandt J. Dok-6, a novel p62 Dok family member, promotes Ret-midiated neurite outgrowth. ***J. Biol Chem***, 279, 42072-42081, 2004.

22. Yan H, Bergner AJ, Enomoto H, Milbrandt J, Newgreen DF, Young HM. Neural cells in the esophagus respond to glial cell line-dereved neurotrophic factor and neurturin, and are RET-dependent. ***Developmental Biology***, 272(1), 118-133, 2004.

23. Young HM, Bergner AJ, Anderson RB, Enomoto H, Milbrandt J, Newgreen DF, Whington PM. Dynamics of neural crest-derived cell migration in the embryonic mouse gut. ***Developmental Biology***, 270(2), 455-473, 2004.

24. Gianino S, Grider JR, Cresswell J, Enomoto H, Heuckeroth RO. GDNF availability determines enteric neuron number by controlling precursor proliferation. ***Development,*** 130, 2187-2198, 2003.

25. Enomoto H, Crawford PA, Gorodinsky A, Heuckeroth RO, Johnson EM Jr, Milbrandt J. RET signaling is essential for migration, axonal growth and axon guidance of developing sympathetic neurons. ***Development***, 128, 3963-3974, 2001.

26. Enomoto H, Heuckeroth RO, Golden JP, Johnson EM Jr, Milbrandt, J. Development of cranial parasympathetic ganglia requires sequential actions of GDNF and neurturin. ***Development***, 127, 4877-4889, 2000.

27. Zaidi AU, Enomoto H, Milbrandt J, Roth KA. Dual Fluorescent In Situ Hybridization and Immunohistochemical Detection with Tyramide Signal Amplification. ***J Histochem Cytochem.*** Oct;48(10):1369-1376, 2000.

28. Baloh RH, Enomoto H, Johnson EM, Jr Milbrandt J. The GDNF family ligands and receptors-implications for neural development. ***Curr Opin Neurobiol***, 10, 103-110, 2000. (Review)

29. Heuckeroth RO, Enomoto H, Grider JR, Golden JP, Hanke JA, Jackman A, Molliver DC, Bardgett ME, Snider WD, Johnson EM, Milbrandt J. Gene targeting reveals a critical role for neurturin in the development and maintenance of enteric, sensory and parasympathetic neurons. ***Neuron*** 22, 253-263, 1999.

30. Baloh RH, Tansey MG, Lampe PA, Fahrner TJ, Enomoto H, Simburger KS, Leitner ML, Araki T, Johnson EM Jr, Milbrandt J. Artemin, a novel member of the GDNF ligand family, supports peripheral and central neurons and signals through the GFRα3- RET receptor complex. ***Neuron*** 21, 1291-1302, 1998.

31. Enomoto H, Araki T, Jackman A, Heuckeroth RO, Snider W D, Johnson EM Jr, Milbrandt J. GFRα1-deficient mice have deficits in the enteric nervous system and kidneys. ***Neuron*** 21, 317-324, 1998.

32. Matsunaga T, Shirasawa H, Hishiki T, Enomoto H, Kouchi K, Ohtsuka Y, Iwai J, Yoshida H, Tanabe M, Kobayashi S, Asano T, Etoh T, Nishi Y, Ohnuma N. Expression of MRP and cMOAT in childhood neuroblastomas and malignant liver tumors and its relevance to clinical behavior. ***Jpn J Cancer Res***. 89(12):1276-83, 1998.

33. Enomoto H, Nakamura Y, Kondo K, Hirose M, Kaneko Y, Horie H, Takahashi H, Ohnuma N, Tanabe M, Nakagawara A. In vivo karyotypic evolution with altered biological characteristics in a case of neuroblastoma. ***J Pediatr Surg*** 33, 1404-1407, 1998.

34. Matsunaga T, Shirasawa H, Enomoto H, Yoshida H, Iwai J, Tanabe M, Kawamura K, Etoh T, Ohnuma N. Neuronal src and trk a protooncogene expression in neuroblastomas and patient prognosis. ***Int J Cancer*** 79, 226-231, 1998.

35. Yoshida H, Enomoto H, Tagawa M, Takenaga K, Tasaki K, Nakagawara A, Ohnuma N, Takahashi H, Sakiyama S. Impaired tumorigenicity and decreased liver metastasis of murine neuroblastoma cells engineered to secrete interleukin-2 or granulocyte macrophage colony-stimulating factor. ***Cancer Gene Ther*** 5, 67-73, 1998.

36. Yoshida H, Enomoto H, Miyauchi M, Takenaga K, Tanabe M, Ohnuma N, Sakiyama S, Tagawa M. Impaired tumorigenicity of IL-4-producing murine neuroblastoma cells in immunodeficient nude mice. ***Int J Oncol*** 12, 1067- 1071, 1998.

37. Yoshida H, Enomoto H, Kawamura K, Takenaga K, Tanabe M, Ohnuma N, Sakiyama S, Tagawa M. Antitumor vaccine effect of irradiated murine neuroblastoma cells producing interleukin-2 or granulocyte macrophage-colony stimulating factor. ***Int J Oncol*** 13, 73-78, 1998.

38. Ozaki T, Enomoto H, Nakamura Y, Kondo K, Seki N, Ohira M, Nomura N, Ohki M, Nakagawara A, Sakiyama S. The genomic analysis of human DAN gene. ***DNA Cell Biol*** 16, 1031-1039, 1997.

39. Matsuda Y, Ozaki T, Enomoto H, Saito T, Sakiyama S. Chromosome mapping of the mouse and rat homologs of the human DAN gene, D1S1733E. ***Mamm Genome*** 7, 709-710, 1996.

40. Ozaki T, Nakamura Y, Enomoto H, Hirose M, Sakiyama S. Overexpression of DAN gene product in normal rat fibroblasts causes a retardation of the entry into the S phase. ***Cancer Res*** 55, 895-900, 1995.

41. White PS, Maris JM, Beltinger C, Sulman E, Marshall HN, Fujimori M, Kaufman BA, Biegel JA, Allen C, Hilliard C, Valentine MB, Look AT, Enomoto H, Sakiyama S, Brodeur GM. A region of consistent deletion in neuroblastoma maps within human chromosome 1p36.2-36.3**.** ***Proc Natl Acad Sci USA*** 92, 5520-5524, 1995.

42. Enomoto H, Ozaki T, Takahashi E, Nomura N, Tabata S, Takahashi H, Ohnuma N, Tanabe M, Iwai J, Yoshida H et al. Identification of human DAN gene, mapping to the putative neuroblastoma tumor suppressor locus.（学位論文） ***Oncogene*** 9, 2785-2791, 1994.

43. Ozaki T, Saijo M, Murakami K, Enomoto H, Taya Y, Sakiyama S. Complex formation between lamin A and the retinoblastoma gene product: identification of the domain on lamin A required for its interaction. ***Oncogene*** 9, 2649-2653, 1994.

44. Sakiyama S, Ozaki T, Enomoto H. Molecular cloning and characterization of a cDNA showing tumor- suppressive activity in V-SRC-transformed 3Y1 rat fibroblasts. ***Adv Enzyme Regul*** 34, 247-255, 1994.

45. Matsunaga T, Takahashi H, Ohnuma N, Tanabe M, Yoshida H, Enomoto H, Horie H, Shirasawa H, Simizu B. Paratesticular neuroblastoma with N-myc activation. ***J Pediatr Surg*** 28, 1612-1614, 1993.

[Books and Book Chapters]

Heather M. Young, Donald F. Newgreen, Hideki Enomoto

Development of the nervous system

Physiology of the gastrointestinal tract, Fifth Edition

Section II Neurogastroenterology

ACADEMIC PRESS

p475-488, 2012.