

～国際学会 2015 年度～

• The 11th Asian Society for Pediatric Research Osaka 2015.4.15-18

Efficacy of phototherapy using blue light-emitting diodes in Japanese neonates: A prospective nested case-control study.

Yamana K, Koda T, Iwatani S, Nagasaka M, Kurokawa D, Fujita K, Nishida K, Kuroe K, Nakamura H, Iijima K, Morioka I.

Follow-up study of infants with symptomatic congenital cytomegalovirus infection diagnosed by urine screening soon after birth.

Nishida K, Morioka I, Nakamachi Y, Kobayashi Y, Okazaki Y, Noguchi Y, Deguchi M, Tanimura K, Kawano S, Iijima K, Yamada H.

Evidence-based treatment for Nephrotic syndrome

Nozu K.

Two high-risk neuroblastoma cases with early detection of tumor relapse/re-growth by consecutive minimal residual disease monitoring.

Saito A, Hirase S, Kozaki A, Yanai T, Hasegawa D, Kawasaki K, Kosaka Y, Hayakawa A, Iijima K, Nishio H, and Nishimura N.

Neuroblastoma minimal residual disease markers are differentially expressed in peripheral blood and bone marrow samples.

Uemura S, Yamamoto N, Kozaki A, Yanai T, Hasegawa D, Kawasaki K, Kosaka Y, Hayakawa A, Iijima K, Nishio H, and Nishimura N.

• 5th International Congenital CMV Conference Brisbane 2015.4.20-24

Efficacy of antiviral treatment on abnormal auditory brainstem responses in congenital cytomegalovirus-infected infants.

Morioka I, Nishida K, Yamashita D, Imanishi T, Deguchi M, Tanimura K, Nibu K, Iijima K, Yamada H.

Incidence of sequelae in symptomatic congenital cytomegalovirus-infected infants after introduction of newborn urine screening and antiviral treatment.

Nishida K, Morioka I, Kobayashi Y, Nakamachi Y, Imanishi T, Deguchi M, Tanimura K, Funakoshi T, Ohashi M, Inoue N, Iijima K, Yamada H.

• Pediatric Academic Societies Annual Meeting San Diego 2015.4.25-28

Efficacy of antiviral treatment on abnormal auditory brainstem responses in congenital cytomegalovirus-infected infants.

Morioka I, Nishida K, Yamashita D, Kobayashi Y, Nakamachi Y, Imanishi T, Deguchi M, Tanimura K, Kawano S, Nibu K, Iijima K, Yamada H.

A novel measurement method for serum unconjugated bilirubin concentrations using a bilirubin-inducible fluorescent protein.

Iwatani S, Nakamura H, Nishida K, Fujita K, Yamana K, Kurokawa D, Nagasaka M, Koda T, Osawa K, Nishimura N, Nishio H, Iijima K, Kumagai A, Miyawaki A, Morioka I.

Screening for hyperbilirubinemia using transcutaneous bilirubin measurement in very low birth weight infants.

Kurokawa D, Koda T, Nagai M, Yokota T, Morisawa T, Yonetani M, Katayama Y, Sakai H, Ioroi T, Nakamura H, Iijima K, Morioka I.

Incidence of short children born small for gestational age who qualify for growth hormone use at 3 years of age: a population-based longitudinal study.

～国際学会 2015 年度～

Fujita K, Nagasaka M, Koda T, Iwatani S, Kurokawa D, Yamana K, Nishida K, Ito Y, Uchino E, Shirai C, Iijima K, Morioka I.

Immunogenicity of delayed hepatitis B vaccination in preterm infants in Japan.

Morioka I, Horikoshi Y, Kitajima H, for the committee for infection prevention and vaccine promotion of the Japan Society for Premature and Newborn Medicine.

• The 13th Korea-China-Japan Pediatric Nephrology Seminar 2015 Korea 2015.5.9-10

Pathogenesis for hypokalemia in case with autosomal dominant hypocalcemia.

Kamiyoshi N, Nozu K, Minamikawa S, Yamamura T, Matsunoshita N, Otsubo H, Ninchoji T, Shima Y, Nakanishi K, Iijima K.

• Asian and Oceania Congress of Child Neurology (AOCCN) 2015 Taipei 2015.5.14-16

Efficacy and limitations of everolimus for 5 tuberous sclerosis complex patients with refractory epilepsies.

Toyoshima D, Nishiyama M, Morisada N, Nakagawa T, Adachi M, Takada S, Iijima K.

Short and long-term outcome in children with acute encephalopathy.

Nishiyama M, Nagase H, Tanaka T, Fujita K, Maruyama A, Toyoshima D, Nakagawa T, Morisada N, Takada S, Iijima K.

Restoration of glycosylated α-DG in FKRP mutant mice is associated with muscle regeneration.

Awano H, Blaeser A, Keramaris E, Wu B, Lu P, Lu Q, Iijima K.

• 15th Annual Meeting of Asian & Oceanic Society for Pediatric Radiology Tokyo 2015.6.11-13

Comparison between fetal and postnatal imaging in the detection of cerebral abnormalities of congenital cytomegalovirus infection.

Sugioka Y, Nishii T, Sugimoto K, Sugimura K, Akasaka Y, Tanimura K, Tairaku S, Yamada H, Morioka I, Iijima K.

• International society for stem cell research annual meeting Stockholm 2015.6.24-27

Analysis of pluripotency in Muse cells derived from human umbilical cord tissue.

Kushida Y, Wakao S, Akashi H, Nishimura N, Iwatani S, Koda T, Morioka I, Mizobuchi M, Iijima K, Dezawa M.

• 48th Annual Scientific Meeting of the European Society for Pediatric Nephrology Brussels 2015.9.3-5

Genetic, pathological and clinical backgrounds in autosomal dominant Alport syndrome.

Nozu K, Kamiyoshi N, Matsunoshita N, Minamikawa S, Yamamura T, Ninchoji T, Tanaka R, Nakanishi K, Yoshikawa N, Iijima K.

• European Academy of Paediatrics Oslo 2015.9.17-20

Clinical differences between Anaphylaxis children with prehospital remission and exacerbation.

Ninchoji T, Matsunoshita N, Yamamoto N, Nakagawa T, Taniguchi-Ikeda M, Morisada N, Ishibashi K, Iijima K, Ishida A, Morioka I.

• 5th International Symposium on Childhood, Adolescent and Young Adult Non-Hodgkin Lymphoma Varese, Italy 2015.10.22-24

Incidence and risk factors of pediatric posttransplant lymphoproliferative disorder following allogenic hematopoietic stem cell transplantation: Japan Society for Hematopoietic Cell Transplantation (JSHCT) collaborative study.

Ueyama J, Kobayashi R, Tanaka F, Sunami S, Mitsui T, Koga Y, Mori T, Osumi T, Fukano

～国際学会 2015 年度～

R, Ohki K, Sekimizu M, Mori T, Inoue M, Kikuta A, Goto H, Sakamaki H, Sawada A, Kato K, Suzuki R, Atuta Y.

Primary cutaneous lymphomas of childhood in Japan.

Tanaka F, Kobayashi R, Nakazawa A, Ueyama J, Osumi T, Sunami S, Mitsui T, Koga Y, Mori T, Fukano R, Ohki K, Sekimizu M, Mori T.

Follicular lymphoma of children in Japan.

Kobayashi R, Tanaka F, Nakazawa A, Ueyama J, Sunami S, Mitsui T, Koga Y, Mori T, Osumi T, Fukano R, Ohki K, Sekimizu M, Mori T.

• Kidney Week 2015 San Diego 2015.11.3-8

Somatic Mosaicism and Variant Frequency Detected by Next Generation Sequencing in X Linked Alport Syndrome.

Kamiyoshi N, Nozu K, Fu X.J, Yamamura T, Minamikawa S, Ninchoji T, Iijima K.

Comprehensive Approach to Understand Human Renal Development Based on the Identification of Responsible Genes for CAKUT.

Shono A, Morisada N, Nozu K, Iijima K.

Genital Organ Anomalies in Female Pediatric Patients with End-Stage Renal Disease.

Kanda S, Morisada N, Tomii Y, Takizawa K, Kaneko N, Yabuuchi T, Hama H, Nakano E, Tada N, Ishizuka K, Akioka Y, Chikamoto H, Iijima K, Hattori M.

A Family Case of Hypoparathyroidism, Deafness, and Renal Dysplasia Syndrome with a Novel Mutation of GATA3.

Yabuuchi T, Kanda S, Morisada N, Takizawa K, Tomii Y, Kaneko N, Hama H, Nakano E, Tada N, Ishizuka K, Chikamoto H, Akioka Y, Iijima K, Hattori M.

New-Onset Diabetes After Transplantation in a Pediatric Patient with Congenital Anomalies of the Kidney and Urinary Tract: The Role of Hepatocyte Nuclear Factor 1 β .

Kaneko N, Morisada N, Takizawa K, Yabuuchi T, Hama H, Tada N, Nakano E, Kanda S, Ishizuka K, Chikamoto H, Akioka Y, Iijima K, Hattori M.

• 9th International Conference on HHV-6&7 Boston 2015.11.9-11

The role of cytoplasmic tail of CD134 in HHV-6B infection.

Nagasaki M, Nakazawa S, Mugitani M, Kawabata A, Tang H, Morioka I, Iijima K, Mori Y.

Serum levels of cytokines/chemokines during primary infection of HHV-6B.

Nagasaki M, Kawabata A, Tang H, Ishida A, Iijima K, Morioka I, Mori Y.